



# **Healthy Youth Survey 2021**

## **Report of Participating Schools**

**Issaquah School District**  
**Grades 6, 8, 10 and 12**

**March 1, 2022**

Looking Glass Analytics  
101 Capital Way N, Suite 203  
Olympia, WA 98501

**More information about the Healthy Youth Survey is available at [www.AskHYS.net](http://www.AskHYS.net)**

## Report Contents

Introduction and Overview .....	2
Understanding Your Report .....	5
Highlights of the Local Results .....	7
Individual Question Results. ....	8
Demographics and General Information (Questions 1-20) .....	8
Alcohol, Tobacco, and Other Drug (ATOD) Use .....	12
Lifetime Use (Questions 21-31) .....	12
30-Day Use (Questions 32-44) .....	13
Other Tobacco-Related Questions (Questions 45-55) .....	16
Other Electronic Cigarette- and Vaping Related Questions (Questions 56-59) .....	17
Other Alcohol-Related Questions (Questions 60-69) .....	18
Other Marijuana-Related Questions (Questions 70-75) .....	20
Other Alcohol- and Drug-related Questions (Questions 76-82) .....	21
Other Health Concerns .....	22
Nutrition and Fitness (Questions 83-103) .....	22
Health Conditions and Health Care (Questions 104-114) .....	25
Sexual Behavior (Questions 115-119) .....	27
Behaviors Related to Unintentional Injuries (Questions 120-129) .....	28
Behaviors Related to Intentional Injuries (Questions 130-133) .....	30
Physical, Emotional and Sexual Abuse (Questions 134-140) .....	30
Mental Health (Questions 141-151) .....	31
COVID-19 .....	34
Gambling .....	35
School Climate (Questions 152-164) .....	35
Children's Hope Scale (Questions 167-171) .....	37
Adverse Childhood Experiences Scale (WAH-ACEs) .....	38
Risk and Protective Factors .....	40
Risk and Protective Factor: Reporting Schedule .....	40
Risk and Protective Factor: Domain Scale Results and Graphs .....	41
Risk and Protective Factor: Individual Question Results .....	45
Community Domain (Questions 172-189) .....	45
Family Domain (Questions 190-207) .....	48
School Domain (Questions 208-225) .....	51
Peer and Individual Domain (Questions 226-244) .....	54
Questions by Topic .....	57
Core Questions .....	58

***For a detailed list of all of the survey questions by topic - please use the Questions by Topic section in the back of this report.***

# Issaquah School District

Grades 6, 8, 10 and 12

## Introduction and Overview

This report presents results from the fall 2021 Healthy Youth Survey in Washington State. This survey was sponsored by the Health Care Authority, the Department of Health, the Office of Superintendent of Public Instruction, and the Liquor and Cannabis Board in cooperation with schools throughout the state of Washington.

This Multiple Grade Report does not provide comparisons to the state. To compare your results to the state sample, see the Multiple Grade State Sample Report for grades 6, 8, 10 and 12. This report is available at: <http://www.askhys.net/Reports> under State Reports.

Survey questions covering the same topics are grouped together when possible but be sure to consult the Questions by Topic index for related questions when searching for information on a specific topic. The numbering in this report is not the same as the question order on the survey itself.

The dot points and graphs included at the beginning of this report highlight selected findings. Additional information may be found in the *Interpretive Guide* posted to the Healthy Youth Survey web site under Training and Tools: <http://www.askhys.net/Reports/Additional>.

## Survey Participation in this Report

	<u>Grade 6</u>	<u>Grade 8</u>	<u>Grade 10</u>	<u>Grade 12</u>
Number of students surveyed:	1,366	1,313	1,242	770
Number of valid responses:	1,346	1,295	1,227	752
Number of enrolled students*:	1,577	1,591	1,581	1,597
Your survey participation rate**:	85%	81%	78%	47%

\* The estimate of enrolled students is based on figures from the 2021-22 school year, provided by OSPI.

\*\* The survey participation rate is the number of valid responses divided by the number of enrolled students.

## Caution about Participation and Bias

Please use the following guidance when reviewing your results:

- 70% or greater participation—Results are probably representative of students in this grade.
- 40–69% participation—Results may be representative of students in this grade.
- Less than 40% participation—Results are likely not representative of students in this grade but do reflect students who completed the survey.

There may be limitations to your results even if you have a high participation rate. For instance, a particular group of students (say, the school orchestra) may have been away from school the day of the survey, and that could bias the results. It is important to acknowledge the potential limitations when using the results in this report. For reports summarizing results at the county or School District level, you should also consider whether the schools that participated represent all students in that area.

## Special Considerations for HYS 2021 and the COVID-19 Pandemic

The COVID-19 pandemic led to several important changes in the usual HYS process and structure that may have an impact on the results. Due to the unexpected shift to primarily remote learning, the HYS was not administered in fall 2020 as it was originally intended. Instead, the HYS Planning Committee determined it would be best to delay the survey to fall 2021. This ensured a process could be created for students who needed to take the survey remotely and it allowed the Planning Committee to add a small number of COVID-19-related questions to support future preparedness and response in schools and communities. In addition, the decision was made to expand e-survey/online survey administration across the state. All of this led to a number of factors that may or may not have had an impact on the results:

- 1) Delaying the survey by a year means a change in the cohort of students being surveyed. HYS has historically been offered in Fall of even years to students in grades 6, 8, 10 and 12. So, roughly the same cohort of students were ultimately being surveyed every two years as they advanced.
- 2) The Planning Committee chose to halt plans for a more extensive evaluation of the e-survey mode compared to paper that was scheduled for HYS 2020. Instead, the shift to an e-survey mode without the in-depth comparison makes it more difficult to determine whether the survey mode (paper vs e-survey) has an effect on how students answer questions. Only a very small number of schools elected to do the survey on paper in 2021.
- 3) Schools were allowed to administer the e-survey remotely in Fall 2021 to accommodate students who may be doing hybrid or fully distanced learning. The vast majority of students took the survey in-person at school, though a small number did take the survey remotely. The potential impact of having students complete the survey remotely is still being assessed.
- 4) Finally, the pandemic itself has led to massive changes in the lives of Washington youth. Increases and decreases in HYS 2021 data may be more a reflection of the pandemic and its affect on our lives than a change that would have happened if the pandemic had not occurred. This means that **trend data from before the pandemic and during/after the pandemic should be interpreted with tremendous caution.** For example, a large decrease in one particular risk behavior on school property may be explained by a new school education campaign or program or it may be explained by the fact that students are doing more remote learning.

## Small Numbers: Caution about Number of Students Participating

Results based on small numbers of students answering a question are unstable---that is, they could easily change with the absence from school of only a couple of students. This is especially the case when only a few students choose a particular answer option. Also, in this situation, the reported 95% confidence interval might be too narrow. Thus, use caution if fewer than 30 students answered a question and fewer than 5 students selected a given response option.

*For example, if 20 students answered a question and of those 20 only 3 students answered "Yes", the estimate is unreliable.*

See the Understanding Your Report section later in this report for a discussion of "confidence intervals" to help guide your interpretation of the results.

## Key to the Notes

Three versions of the survey were used in the administration of the 2021 HYS. Forms A and B were given to secondary students grades 8, 10, and 12 (and in grades 9 and 11 in some small school districts). Eight questions on sexual orientation, gender identity, sexual behavior, and sexual abuse were asked at the discretion of the school; schools that did not administer the sexual orientation and gender identity questions were required to seek an exemption from the HYS Planning Committee. Form C was given to elementary students in grade 6 (and in grade 7 in some small school districts).

A list of the topics asked and their location in the report are provided in the Questions by Topic section at the end of this report. "Core" questions are asked on both Forms A and B. A list of Core Questions is also found at the end of this report.

The following notes are used throughout this report to document the differences between the questions on different versions and indicate the removable questions on potentially sensitive topics that schools could choose not to administer:

A = wording on Form A; B = wording on Form B; C = wording on Form C

† = removable questions


**Legal requirements:** Federal and Washington state regulations prohibit discrimination against LEP individuals who are Deaf, DeafBlind, Hard of Hearing, or visually impaired. Read [HCA Policy 01-27 "Language Access Services"](#) and [Policy 01-30 "Equal Access to Services for Individuals with Disabilities"](#) for more information. If you have a question about an accommodation, please contact the Healthy Youth Survey study Principal Investigator, at [Healthy.Youth@doh.wa.gov](mailto:Healthy.Youth@doh.wa.gov) or call toll free (877-HYS-7111).

## Understanding Your Results

### N's

In this report “n” is shorthand for “number”---the number of students who took this survey or who answered a survey question. N's are important! We also report the point estimates (%), and the 95% confidence intervals (CI).

Here is an example of how results are displayed in the report tables and charts.



### How many students took this survey?

Look on page 2, under Survey Participation. The “number of students surveyed” is the number of surveys that we received. We have careful procedures for “cleaning” to remove surveys with many inconsistent or false answers – the “clean” surveys are the “number of valid surveys”. Only valid surveys are presented in this report.

### How many students answered each survey question?

The n's for each question vary. Why? There are several reasons:

- There are two versions of the grades 8, 10, and 12 survey – Form A and B. Core questions are on all versions, so the n's for those questions are about the same as the number of valid surveys. For non-Core questions the n's will be about half, or less.
- Some schools chose to administer the questions about sexual orientation, gender identity, sexual behavior, and sexual abuse. Schools that chose to not ask those additional questions will have no responses for those questions. [District and county reports may include some schools that DID ask those questions and some that DID NOT.]
- Not all students finish the survey, so questions near the end have smaller n's. [NOTE: the order of the questions in the report is not the same as on the survey itself.] Also, some students may decide to skip certain questions.

Here are examples from a district with 400 valid surveys --- notice how the n's change with each question type.

#### 25. Have you ever, even once in your life: Used marijuana?

	(n=398)	(n=4,000)
a. Yes	49.0% (±3.0)	46.0% (±1.0)
b. No	51.0% (±3.0)	54.0% (±1.0)

N for a core question  
(almost all students)

#### 23. Have you ever, even once in your life: Smoked a cigarette, even just a puff?

	(n=200)	(n=2,000)
a. Yes	11.0% (±4.0)	12.0% (±2.0)
b. No	89.0% (±4.0)	88.0% (±2.0)

N for a question on only one  
version (about half the  
students)

#### 135. Have you ever been in a situation where someone made you engage in kissing, sexual touch or intercourse when you did not want to?¹

	(n=100)	(n=1,500)
a. Yes	10.0% (±8.0)	8.0% (±4.0)
b. No	90.0% (±2.0)	92.0% (±1.0)

N for an optional sexual  
behavior question (about  
half, or less if some schools  
chose not to ask those  
questions)

### How many students are we talking about?

N's are only provided for the total number of students who answered a question, not the individual answer options. Some people find it useful to translate their point estimates (%) into the number of students.

*For example, in a district if 10% of students reported that "Yes" they used inhalants in their lifetime and 200 students answered the questions, then 20 students in the district used inhalants ( $200 \times 0.10$ ).*

### Confidence Intervals

It is unlikely that the point estimate (%) reported for each question is exactly the same as the "true" value for all your students. This report includes 95% confidence intervals (CI) to describe this uncertainty. If there is no bias in the data, then there is a 95% chance that the CI will include the true value. So for example, if the point estimate and CI are 51.5% ( $\pm 1.5\%$ ), then there is a 95% chance that the true percentage is between 50.0% and 53.0%.

The size of your CIs depend in part on the n for each question – as more students answer a question, your point estimate is likely to be closer to the "true" value. If the group of students you're looking at is small, then your CIs will be large. The confidence interval does not take into account the participation rate – in other words, a low participation rate can create bias which will not be reflected in the CI.

### How can you "use" confidence intervals?

CIs help you to decide if the differences between your students and the state are statistically significant.

*For an example, let's say your students report 25%  $\pm 5\%$ . That means that the CI is between 20% and 30% Here is the math:  
 $25\% - 5\% = 20\%$ , and  $25\% + 5\% = 30\%$*

Using CIs, you can decide if the difference between your students and the state results are statistically significant:


1. A significant difference:

- Your students report 25%  $\pm 5\%$ , so the point estimate is 25% and the CI is 20% to 30%
- Students statewide report 36%  $\pm 3\%$ , so the point estimate is 36% and the CI is 33% to 39%
- The CIs don't overlap, so the difference is significant



2. Not a significant difference:

- Your students report 25%  $\pm 5\%$ , so the point estimate is 25% and the CI is 20% to 30%
- Statewide students report 28%  $\pm 3\%$ , so the point estimate is 28% and the CI is 25% to 31%
- The CI for your students overlaps the point estimate for students statewide, so the difference is not significant



3. Not sure if there is a difference:

- Your students report 25%  $\pm 5\%$ , so the point estimate is 25% and the CI is 20% to 30%
- Statewide students report 32%  $\pm 3\%$ , so the point estimate is 32% and the CI is 29% to 35%
- The CIs overlap, but don't include the other point estimates, so you don't know for sure if they are really different without using the significance testing tool described in the next paragraph




More information about interpreting CIs is available on the HYS Training web page at [www.AskHYS.net/Training](http://www.AskHYS.net/Training). The Training web page includes past HYS training materials and a "Tool for Determining HYS Statistical Significance". Use the "tool" to find out if your results are significantly different.

## Highlights of the Local Results

Your students reported the following behaviors and attitudes:


### Substance Use

	Grade 6	Grade 8	Grade 10	Grade 12
	% (± CI)	% (± CI)	% (± CI)	% (± CI)
Smoked cigarettes in past 30 days	0.2% (±0.3)	0.3% (±0.3)	0.5% (±0.4)	1.5% (±0.9)
Drank alcohol in past 30 days	0.6% (±0.4)	1.3% (±0.6)	5.1% (±1.3)	18.5% (±2.9)
Used marijuana or hashish in past 30 days	0.3% (±0.3)	0.8% (±0.5)	3.3% (±1.0)	10.3% (±2.3)
Binge drinking in past 2 weeks	0.6% (±0.4)	1.6% (±0.7)	3.4% (±1.1)	10.9% (±2.4)



### Bullying and School Climate

	Grade 6	Grade 8	Grade 10	Grade 12
	% (± CI)	% (± CI)	% (± CI)	% (± CI)
Carried a weapon at school in the past 30 days	0.7% (±0.5)	1.1% (±0.6)	0.7% (±0.5)	1.0% (±0.8)
Bullied in the past 30 days	21.3% (±2.3)	10.5% (±1.8)	9.6% (±1.7)	11.2% (±2.4)
Enjoyed being at school over the past year	61.8% (±2.6)	38.3% (±2.8)	25.2% (±2.5)	29.2% (±3.4)
Felt safe at school	89.4% (±1.7)	92.0% (±1.6)	88.1% (±1.9)	87.1% (±2.5)



*For more information on specific HYS topics, see the Fact Sheets at [www.AskHYS.net](http://www.AskHYS.net), under HYS Results – Fact Sheets*



## Frequency Results

### Demographics and General Information

	Grade 6	Grade 8	Grade 10	Grade 12
	% (± CI) (n=1,346)	% (± CI) (n=1,295)	% (± CI) (n=1,227)	% (± CI) (n=752)
<b>1. Where are you taking this survey?</b>				
a. On school property	99.0% (±0.5)	99.3% (±0.5)	99.2% (±0.5)	98.3% (±0.9)
b. Not on school property	1.0% (±0.5)	0.7% (±0.5)	0.8% (±0.5)	1.7% (±0.9)
<b>2. How old are you?</b>	(n=0)	(n=1,280)	(n=1,223)	(n=749)
a. 12 or younger	**	1.0% (±0.6)	0.0% (±0.0)	0.0% (±0.0)
b. 13	**	81.1% (±2.1)	0.0% (±0.0)	0.0% (±0.0)
c. 14	**	17.7% (±2.1)	1.6% (±0.7)	0.0% (±0.0)
d. 15	**	0.1% (±0.2)	79.2% (±2.3)	0.0% (±0.0)
e. 16	**	0.0% (±0.0)	19.2% (±2.2)	2.5% (±1.1)
f. 17	**	0.1% (±0.2)	0.0% (±0.0)	79.7% (±2.9)
g. 18	**	0.0% (±0.0)	0.0% (±0.0)	17.6% (±2.7)
h. 19 or older	**	0.1% (±0.2)	0.0% (±0.0)	0.1% (±0.3)
<b>3. How old are you?</b>	(n=1,342)	(n=0)	(n=0)	(n=0)
a. 10 or younger	0.9% (±0.5)	**	**	**
b. 11	76.2% (±2.3)	**	**	**
c. 12	22.9% (±2.3)	**	**	**
d. 13	0.0% (±0.0)	**	**	**
e. 14	0.0% (±0.0)	**	**	**
f. 15 or older	0.0% (±0.0)	**	**	**
<b>4. What sex/gender were you at birth, even if you are not that gender today?</b>	(n=1,333)	(n=1,286)	(n=1,217)	(n=742)
a. Female	52.1% (±2.7)	50.4% (±2.7)	49.6% (±2.8)	51.1% (±3.6)
b. Male	47.9% (±2.7)	49.6% (±2.7)	50.4% (±2.8)	48.9% (±3.6)
<b>5. How do you currently identify yourself? Choose all that apply.</b>				
†	(n=0)	(n=1,185)	(n=1,194)	(n=728)
a. Male	**	47.4% (±2.8)	48.6% (±2.8)	46.2% (±3.6)
b. Female	**	42.8% (±2.8)	43.3% (±2.8)	43.5% (±3.6)
c. Transgender	**	0.4% (±0.4)	0.6% (±0.4)	0.5% (±0.5)
d. Questioning/not sure of my gender identity	**	1.9% (±0.8)	2.1% (±0.8)	0.8% (±0.7)
e. Something else fits better	**	2.1% (±0.8)	1.8% (±0.7)	2.6% (±1.2)
f. I do not know what this question is asking	**	0.7% (±0.5)	0.2% (±0.2)	0.4% (±0.5)
More than one response selected	**	4.7% (±1.2)	3.5% (±1.0)	5.9% (±1.7)

Some students may select multiple answers to this question so that their response is consistent with how they identify. For example, a student who identifies as a transgender woman may select both female and transgender. This type response is represented in the 'selected multiple responses' category.

	Grade 6	Grade 8	Grade 10	Grade 12
6. Which of the following best describes you? †	% (± CI) (n=0)	% (± CI) (n=1,159)	% (± CI) (n=1,178)	% (± CI) (n=720)
a. Heterosexual (straight)	**	71.4% (±2.6)	72.8% (±2.5)	71.5% (±3.3)
b. Gay or lesbian	**	3.1% (±1.0)	4.0% (±1.1)	3.9% (±1.4)
c. Bisexual	**	9.1% (±1.7)	11.2% (±1.8)	13.2% (±2.5)
d. Questioning/not sure	**	7.2% (±1.5)	6.0% (±1.4)	5.4% (±1.7)
e. Something else fits better	**	4.7% (±1.2)	4.3% (±1.2)	5.1% (±1.6)
f. I don't know what this question is asking	**	4.5% (±1.2)	1.6% (±0.7)	0.8% (±0.7)

The next two tables display data on race and ethnicity of participating students. There are different ways to look at these data. Table 7 shows mutually exclusive categories. This means that every student is counted only one time. If a student indicated more than one race or ethnicity, they are included in the bottom row (more than one race/ethnicity marked). Table 7 has been reported in prior HYS reports. Table 8 is new this year and shows the data in non-mutually exclusive categories. This means that each student is counted for every race or ethnicity they indicated. Each category displays the number of youth who indicated they are of that particular race or ethnicity, either alone or in combination with another. Because these are not mutually exclusive categories the total will be more than 100%. The HYS continues to evolve, as do our reporting practices, to focus more on highlighting student identity and limiting erasure of students with multiple identities.

**7. How do you describe yourself? Choose all that apply. These are mutually exclusive categories. Those who selected more than one are captured in the bottom row of the table.**

	(n=1,295)	(n=1,284)	(n=1,211)	(n=745)
a. American Indian or Alaskan Native	4.3% (±1.1)	1.2% (±0.6)	0.5% (±0.4)	0.0% (±0.0)
b. Asian or Asian American	30.3% (±2.5)	33.5% (±2.6)	32.5% (±2.6)	32.5% (±3.4)
c. Black or African-American	2.7% (±0.9)	1.7% (±0.7)	2.1% (±0.8)	1.6% (±0.9)
d. Hispanic or Latino/Latina	2.4% (±0.8)	4.4% (±1.1)	3.6% (±1.0)	4.6% (±1.5)
e. Native Hawaiian or other Pacific Islander	0.4% (±0.3)	0.3% (±0.3)	0.1% (±0.2)	0.7% (±0.6)
f. White or Caucasian	30.8% (±2.5)	38.2% (±2.7)	44.8% (±2.8)	44.4% (±3.6)
g. Other	16.7% (±2.0)	7.2% (±1.4)	2.3% (±0.8)	1.2% (±0.8)
More than one race/ethnicity marked	12.4% (±1.8)	13.6% (±1.9)	14.1% (±2.0)	15.0% (±2.6)

**8. How do you describe yourself? These are not mutually exclusive categories. Each row shows the number of students who indicate that race/ethnicity alone or in combination with other race/ethnicities.**

	(n=1,295)	(n=1,284)	(n=1,211)	(n=745)
American Indian or Alaskan Native AOIC*	6.5% (±1.3)	2.4% (±0.8)	2.3% (±0.8)	1.6% (±0.9)
Asian or Asian American AOIC*	35.6% (±2.6)	40.9% (±2.7)	39.9% (±2.8)	40.8% (±3.5)
Black or African-American AOIC*	4.2% (±1.1)	4.1% (±1.1)	4.0% (±1.1)	4.3% (±1.5)
Hispanic or Latino/Latina AOIC*	4.9% (±1.2)	6.9% (±1.4)	8.3% (±1.6)	8.3% (±2.0)
Native Hawaiian or other Pacific Islander AOIC*	1.5% (±0.7)	1.7% (±0.7)	1.1% (±0.6)	1.9% (±1.0)
White or Caucasian AOIC*	38.8% (±2.7)	48.1% (±2.7)	57.2% (±2.8)	57.9% (±3.6)
Other AOIC*	22.5% (±2.3)	11.3% (±1.7)	4.0% (±1.1)	2.3% (±1.1)

\*AOIC = Alone or in combination with other race/ethnicities.

	Grade 6	Grade 8	Grade 10	Grade 12
<b>9. If you are of Asian or Pacific Islander background, which groups best describe you? Choose all that apply.</b>	% (± CI) (n=0)	% (± CI) (n=1,068)	% (± CI) (n=1,043)	% (± CI) (n=643)
a. Not Asian or Pacific Islander	**	48.3% (±3.0)	53.3% (±3.0)	52.3% (±3.9)
b. Asian Indian	**	15.1% (±2.1)	15.0% (±2.2)	12.6% (±2.6)
c. Cambodian/Khmer	**	0.0% (±0.0)	0.3% (±0.3)	0.2% (±0.3)
d. Chinese	**	10.6% (±1.8)	9.1% (±1.7)	12.1% (±2.5)
e. Filipino	**	2.9% (±1.0)	3.0% (±1.0)	2.2% (±1.1)
f. Japanese	**	2.1% (±0.9)	2.8% (±1.0)	3.4% (±1.4)
g. Korean	**	6.4% (±1.5)	4.5% (±1.3)	5.8% (±1.8)
h. Vietnamese	**	3.1% (±1.0)	2.8% (±1.0)	2.6% (±1.2)
i. Other Asian	**	4.4% (±1.2)	3.8% (±1.2)	2.6% (±1.2)
j. Native Hawaiian or other Pacific Islander	**	1.1% (±0.6)	0.3% (±0.3)	0.9% (±0.7)
Mutliracial Asian, more than one response indicated	**	5.7% (±1.4)	4.9% (±1.3)	4.0% (±1.5)
Mutliracial Asian and Pacific Islander, more than one response indicated	**	0.4% (±0.4)	0.3% (±0.3)	1.2% (±0.9)
<b>10. What language is usually spoken at home?</b>	(n=0)	(n=1,292)	(n=1,219)	(n=747)
a. English	**	75.2% (±2.4)	79.0% (±2.3)	81.4% (±2.8)
b. Spanish	**	3.6% (±1.0)	2.7% (±0.9)	3.7% (±1.4)
c. Russian	**	1.4% (±0.6)	1.4% (±0.7)	0.3% (±0.4)
d. Ukrainian	**	0.2% (±0.2)	0.1% (±0.2)	0.0% (±0.0)
e. Vietnamese	**	0.7% (±0.5)	0.7% (±0.5)	0.8% (±0.6)
f. Chinese	**	4.5% (±1.1)	4.3% (±1.1)	5.0% (±1.6)
g. Korean	**	2.6% (±0.9)	2.1% (±0.8)	1.6% (±0.9)
h. Japanese	**	1.1% (±0.6)	0.4% (±0.4)	0.9% (±0.7)
i. Other	**	10.8% (±1.7)	9.4% (±1.6)	6.3% (±1.7)
<b>11. What language is usually spoken at home?</b>	(n=1,340)	(n=0)	(n=0)	(n=0)
a. English	74.0% (±2.4)	**	**	**
b. Spanish	2.8% (±0.9)	**	**	**
c. Other	23.3% (±2.3)	**	**	**
<b>12. How far did your mother get in school?</b>	(n=0)	(n=1,158)	(n=1,111)	(n=676)
a. Did not finish high school	**	1.5% (±0.7)	1.5% (±0.7)	3.1% (±1.3)
b. Graduated from high school or GED	**	4.1% (±1.1)	7.0% (±1.5)	7.2% (±2.0)
c. Had some college or technical training after high school	**	7.9% (±1.6)	8.8% (±1.7)	11.5% (±2.4)
d. Graduated from a 4-year college	**	39.5% (±2.8)	45.2% (±2.9)	45.4% (±3.8)
e. Earned an advanced graduate degree	**	25.1% (±2.5)	27.4% (±2.6)	27.5% (±3.4)
f. Don't know	**	21.4% (±2.4)	9.0% (±1.7)	4.6% (±1.6)
g. Does not apply	**	0.5% (±0.4)	1.1% (±0.6)	0.6% (±0.6)
<b>13. Who did you live with most of the time in the last 30 days?</b>	(n=0)	(n=1,185)	(n=1,122)	(n=679)
a. Parent(s), step-parent(s), or legal guardian	**	98.4% (±0.7)	99.2% (±0.5)	98.7% (±0.9)
b. Relatives like a grandparent, an aunt, an older brother - but NOT your parents	**	0.4% (±0.4)	0.2% (±0.2)	0.3% (±0.4)
c. Foster care parent(s)	**	0.3% (±0.3)	0.0% (±0.0)	0.0% (±0.0)
d. Adults who are not your parents, relatives, or foster parents	**	0.1% (±0.2)	0.0% (±0.0)	0.1% (±0.3)
e. Friends of yours with no adults present	**	0.3% (±0.3)	0.0% (±0.0)	0.1% (±0.3)
f. On your own	**	0.2% (±0.2)	0.3% (±0.3)	0.6% (±0.6)
g. Other	**	0.4% (±0.4)	0.4% (±0.3)	0.1% (±0.3)

	Grade 6	Grade 8	Grade 10	Grade 12
	% (± CI) (n=0)	% (± CI) (n=1,189)	% (± CI) (n=1,124)	% (± CI) (n=678)
<b>14. Where did you live most of the time in the last 30 days?</b>				
a. In a own house or apartment that my family rents or owns	**	98.4% (±0.7)	98.8% (±0.6)	97.5% (±1.2)
b. In a house or apartment that a relative rents or owns	**	0.7% (±0.5)	0.5% (±0.4)	1.6% (±1.0)
c. In a house or apartment with someone who is not a relative	**	0.3% (±0.3)	0.1% (±0.2)	0.0% (±0.0)
d. In a shelter	**	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)
e. In a car or RV, park, or campground	**	0.1% (±0.2)	0.1% (±0.2)	0.0% (±0.0)
f. In a motel/hotel	**	0.1% (±0.2)	0.1% (±0.2)	0.1% (±0.3)
g. On the street	**	0.0% (±0.0)	0.1% (±0.2)	0.1% (±0.3)
h. Moved from place to place	**	0.2% (±0.2)	0.2% (±0.2)	0.1% (±0.3)
i. Other	**	0.3% (±0.3)	0.1% (±0.2)	0.4% (±0.5)
<b>15. Are your current living arrangements the result of losing your home because your family cannot afford housing?</b>	(n=0)	(n=1,175)	(n=1,120)	(n=675)
a. No	**	95.7% (±1.2)	95.4% (±1.2)	96.1% (±1.5)
b. Yes	**	0.9% (±0.5)	1.2% (±0.6)	1.5% (±0.9)
c. Not sure	**	3.5% (±1.1)	3.4% (±1.1)	2.4% (±1.2)
<b>16. Do you receive free or reduced price lunches at school?</b>	(n=0)	(n=581)	(n=605)	(n=334)
a. No	**	52.5% (±4.1)	70.7% (±3.6)	76.9% (±4.5)
b. Yes	**	31.0% (±3.8)	19.0% (±3.1)	14.7% (±3.8)
c. Not sure	**	16.5% (±3.0)	10.2% (±2.4)	8.4% (±3.0)
<b>17. Has your parent(s) or guardian(s) served in the military (Army, Navy, Air Force, Marines, Coast Guard, National Guard, or Reserves)?</b>	(n=1,337)	(n=585)	(n=604)	(n=335)
a. No	77.6% (±2.2)	84.6% (±2.9)	84.8% (±2.9)	89.9% (±3.3)
b. Yes	12.2% (±1.8)	9.4% (±2.4)	12.6% (±2.7)	9.3% (±3.1)
c. Not sure	10.2% (±1.6)	6.0% (±1.9)	2.6% (±1.3)	0.9% (±1.0)
<b>18. Have you or your family moved in the past 3 years to another school district or city for temporary or seasonal work in agriculture, dairy, or fishing?</b>	(n=1,339)	(n=1,284)	(n=1,216)	(n=747)
a. No	79.5% (±2.2)	88.6% (±1.7)	92.4% (±1.5)	93.6% (±1.8)
b. Yes	10.0% (±1.6)	6.5% (±1.3)	5.1% (±1.2)	5.0% (±1.6)
c. I do not know.	10.5% (±1.6)	5.0% (±1.2)	2.5% (±0.9)	1.5% (±0.9)
<b>19. During the past 30 days, on how many days have you been absent from school for any reason? Include any day that you missed at least half of the school day.</b>	(n=1,306)	(n=1,175)	(n=1,118)	(n=676)
a. 0 days	57.1% (±2.7)	51.9% (±2.9)	47.2% (±2.9)	37.9% (±3.7)
b. 1 or 2 days	28.9% (±2.5)	34.8% (±2.7)	36.3% (±2.8)	41.3% (±3.7)
c. 3 or more days	14.0% (±1.9)	13.3% (±1.9)	16.5% (±2.2)	20.9% (±3.1)
<b>20. During your last school year, how many times did you change schools for reasons other than moving up a grade?</b>	(n=1,307)	(n=590)	(n=512)	(n=342)
a. I did not change schools	84.6% (±2.0)	84.9% (±2.9)	92.6% (±2.3)	96.8% (±1.9)
b. Once	10.9% (±1.7)	12.4% (±2.7)	5.9% (±2.0)	2.6% (±1.7)
c. Twice	2.4% (±0.8)	2.4% (±1.2)	1.0% (±0.9)	0.6% (±0.8)
d. Three or more times	2.1% (±0.8)	0.3% (±0.5)	0.6% (±0.7)	0.0% (±0.0)

	Grade 6	Grade 8	Grade 10	Grade 12
<b>21. How many hours per week are you currently working for pay, NOT counting chores around your home, yard work, or babysitting?</b>	% (± CI) (n=0)	% (± CI) (n=585)	% (± CI) (n=606)	% (± CI) (n=332)
a. None, not currently working	**	92.3% (±2.2)	85.0% (±2.9)	54.2% (±5.4)
b. 10 hours a week or less	**	6.0% (±1.9)	11.1% (±2.5)	21.7% (±4.5)
c. 11-20 hours a week	**	0.7% (±0.7)	3.3% (±1.4)	19.6% (±4.3)
d. 21-30 hours a week	**	0.5% (±0.6)	0.7% (±0.6)	3.3% (±1.9)
e. 31-40 hours a week	**	0.2% (±0.3)	0.0% (±0.0)	0.9% (±1.0)
f. More than 40 hours a week	**	0.3% (±0.5)	0.0% (±0.0)	0.3% (±0.6)
<b>22. How honest were you in filling out this survey?</b>	(n=1,219)	(n=1,093)	(n=1,047)	(n=641)
a. I was very honest.	82.3% (±2.1)	80.8% (±2.3)	76.8% (±2.6)	75.7% (±3.3)
b. I was honest most of the time.	17.0% (±2.1)	18.2% (±2.3)	21.1% (±2.5)	21.4% (±3.2)
c. I was honest some of the time	0.7% (±0.5)	1.0% (±0.6)	2.1% (±0.9)	3.0% (±1.3)
d. I was honest once in a while.		surveys pulled		
e. I was not honest at all.		surveys pulled		

## Alcohol, Tobacco and Other Drug Use

Alcohol, tobacco, and other drug (ATOD) use has been a major concern in this country for many years. The consequences of ATOD use are well known. In the short term, ATOD use interferes with positive physical, emotional, and social development. In the long term, ATOD use is associated with delinquency and criminal activity, unintended injuries, and a variety of health complications including shorter life expectancy. Tobacco use is the world's leading cause of preventable death, disease, and disability. This section provides information about lifetime ATOD use (which in part reflects experimental use), use in the past 30 days (i.e., current use), and other tobacco-, alcohol-, and drug-related issues.

### Lifetime Use

***Have you ever, even once in your life:***

<b>23. Smoked a cigarette, even just a puff? (Computed from question 236)</b>	(n=0)	(n=587)	(n=513)	(n=336)
a. No	**	97.6% (±1.2)	95.1% (±1.9)	90.2% (±3.2)
b. Yes	**	2.4% (±1.2)	4.9% (±1.9)	9.8% (±3.2)
<b>24. Used an electronic cigarette, also called e-cigs, JUUL, or vape pens? (Computed from question 53)</b>	(n=0)	(n=577)	(n=596)	(n=341)
a. No	**	97.6% (±1.3)	91.4% (±2.3)	80.4% (±4.2)
b. Yes	**	2.4% (±1.3)	8.6% (±2.3)	19.6% (±4.2)
<b>25. Drank more than a sip or two of beer, wine, or hard liquor? (Computed from question 25 or 237)</b>	(n=1,260)	(n=1,166)	(n=1,105)	(n=677)
a. No	84.6% (±2.0)	88.4% (±1.8)	78.7% (±2.4)	59.1% (±3.7)
b. Yes	15.4% (±2.0)	11.6% (±1.8)	21.3% (±2.4)	40.9% (±3.7)
<b>26. Used marijuana? (Computed from question 26 or 235)</b>	(n=1,256)	(n=1,165)	(n=1,110)	(n=677)
a. No	97.5% (±0.9)	98.4% (±0.7)	93.1% (±1.5)	79.2% (±3.1)
b. Yes	2.5% (±0.9)	1.6% (±0.7)	6.9% (±1.5)	20.8% (±3.1)

	Grade 6	Grade 8	Grade 10	Grade 12
	% (± CI) (n=0)	% (± CI) (n=590)	% (± CI) (n=516)	% (± CI) (n=336)
<b>27. Used heroin? Choose all that apply.</b>				
a. No, I've never used it	**	99.8% (±0.3)	100.0% (±0.0)	99.7% (±0.6)
b. Yes, within the past year	**	0.2% (±0.3)	0.0% (±0.0)	0.3% (±0.6)
c. Yes, over a year ago	**	0.2% (±0.3)	0.0% (±0.0)	0.0% (±0.0)
<b>28. Used methamphetamines (speed, meth, crystal meth, ice, crank)? Do not include other types of amphetamines. Choose all that apply.</b>	(n=0)	(n=590)	(n=516)	(n=337)
a. No, I've never used it	**	99.7% (±0.5)	100.0% (±0.0)	99.4% (±0.8)
b. Yes, within the past year	**	0.3% (±0.5)	0.0% (±0.0)	0.3% (±0.6)
c. Yes, over a year ago	**	0.2% (±0.3)	0.0% (±0.0)	0.3% (±0.6)
<b>29. Used other illegal drugs?</b>	(n=1,259)	(n=0)	(n=0)	(n=0)
a. Yes	2.4% (±0.8)	**	**	**
b. No	97.6% (±0.8)	**	**	**

### 30-Day Use (Use in the Past 30 Days)

*During the past 30 days, on how many days did you:*

	(n=1,266)	(n=1,177)	(n=1,110)	(n=668)
<b>30. Smoke cigarettes?</b>				
a. None	99.8% (±0.3)	99.7% (±0.3)	99.5% (±0.4)	98.5% (±0.9)
b. 1-2 days	0.1% (±0.2)	0.2% (±0.2)	0.3% (±0.3)	1.0% (±0.8)
c. 3-5 days	0.0% (±0.0)	0.0% (±0.0)	0.2% (±0.2)	0.1% (±0.3)
d. 6-9 days	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)
e. 10-29 days	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)	0.3% (±0.4)
f. All 30 days	0.2% (±0.2)	0.1% (±0.2)	0.0% (±0.0)	0.0% (±0.0)
<i>Any use in past 30 days</i>	0.2% (±0.3)	0.3% (±0.3)	0.5% (±0.4)	1.5% (±0.9)
<b>31. Use chewing tobacco, snuff, or dip?</b>	(n=1,259)	(n=573)	(n=598)	(n=331)
a. None	99.8% (±0.2)	99.7% (±0.5)	100.0% (±0.0)	100.0% (±0.0)
b. 1-2 days	0.0% (±0.0)	0.2% (±0.3)	0.0% (±0.0)	0.0% (±0.0)
c. 3-5 days	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)
d. 6-9 days	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)
e. 10-29 days	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)
f. All 30 days	0.2% (±0.2)	0.2% (±0.3)	0.0% (±0.0)	0.0% (±0.0)
<i>Any use in past 30 days</i>	0.2% (±0.2)	0.3% (±0.5)	0.0% (±0.0)	0.0% (±0.0)
<b>32. Smoke cigars, cigarillos, or little cigars?</b>	(n=0)	(n=577)	(n=602)	(n=332)
a. None	**	99.7% (±0.5)	99.5% (±0.6)	98.2% (±1.4)
b. 1-2 days	**	0.2% (±0.3)	0.5% (±0.6)	0.9% (±1.0)
c. 3-9 days	**	0.0% (±0.0)	0.0% (±0.0)	0.6% (±0.8)
d. 10-29 days	**	0.0% (±0.0)	0.0% (±0.0)	0.3% (±0.6)
e. All 30 days	**	0.2% (±0.3)	0.0% (±0.0)	0.0% (±0.0)
<i>Any use in past 30 days</i>	**	0.3% (±0.5)	0.5% (±0.6)	1.8% (±1.4)

	Grade 6	Grade 8	Grade 10	Grade 12
<b>33. Use an electronic cigarette, also called e-cigs, JUUL, or vape pens?</b>	% (± CI) (n=1,271)	% (± CI) (n=1,177)	% (± CI) (n=1,108)	% (± CI) (n=669)
a. None	99.0% (±0.6)	99.0% (±0.6)	96.4% (±1.1)	92.4% (±2.0)
b. 1-2 days	0.4% (±0.3)	0.5% (±0.4)	1.4% (±0.7)	2.7% (±1.2)
c. 3-5 days	0.1% (±0.2)	0.2% (±0.2)	0.9% (±0.6)	1.0% (±0.8)
d. 6-9 days	0.1% (±0.2)	0.1% (±0.2)	0.5% (±0.4)	1.2% (±0.8)
e. 10-19 days	0.1% (±0.2)	0.2% (±0.2)	0.5% (±0.4)	0.7% (±0.7)
f. 20-29 days	0.0% (±0.0)	0.1% (±0.2)	0.0% (±0.0)	0.4% (±0.5)
g. All 30 days	0.4% (±0.3)	0.0% (±0.0)	0.4% (±0.4)	1.5% (±0.9)
<i>Any use in past 30 days</i>	1.0% (±0.6)	1.0% (±0.6)	3.6% (±1.1)	7.6% (±2.0)
<b>34. Smoke tobacco or flavored tobacco in a hookah, even just a puff?</b>	(n=0)	(n=579)	(n=602)	(n=334)
a. None	**	99.5% (±0.6)	99.8% (±0.3)	99.1% (±1.0)
b. 1-2 days	**	0.3% (±0.5)	0.0% (±0.0)	0.6% (±0.8)
c. 3-9 days	**	0.0% (±0.0)	0.2% (±0.3)	0.3% (±0.6)
d. 10-29 days	**	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)
e. All 30 days	**	0.2% (±0.3)	0.0% (±0.0)	0.0% (±0.0)
<i>Any use in past 30 days</i>	**	0.5% (±0.6)	0.2% (±0.3)	0.9% (±1.0)
<b>35. During the past 30 days, did you use a heated tobacco product? (Heated tobacco products are different from e-cigarettes, which heat a liquid to produce vapor. Some brands of heated tobacco products include IQOS, glo and Eclipse.)</b>	(n=0)	(n=577)	(n=599)	(n=333)
a. Yes	**	4.0% (±1.6)	6.5% (±2.0)	4.8% (±2.3)
b. No	**	80.9% (±3.2)	80.5% (±3.2)	82.0% (±4.1)
c. I don't know what this is.	**	15.1% (±2.9)	13.0% (±2.7)	13.2% (±3.7)
<b>36. During the past 30 days, which of the following tobacco or marijuana products that you used were flavored to taste like menthol(mint), candy, fruit, or any other flavors? Choose all that apply.</b>	(n=0)	(n=556)	(n=582)	(n=327)
a. I did not use any flavored tobacco or marijuana products in the past 30 days.	**	96.8% (±1.5)	96.0% (±1.6)	90.5% (±3.2)
b. Cigars, little cigars, hookah, or other smoked tobacco	**	0.2% (±0.4)	0.0% (±0.0)	0.3% (±0.6)
c. Chewing tobacco, dissolvables, snus or other smokeless tobacco	**	0.0% (±0.0)	0.0% (±0.0)	0.3% (±0.6)
d. Joints, bongs, pipes, blunt, or other smoked marijuana products	**	0.2% (±0.4)	1.0% (±0.8)	4.3% (±2.2)
e. I do not know.	**	2.9% (±1.4)	2.9% (±1.4)	5.2% (±2.4)
<b>37. Drink a glass, can or bottle of alcohol?</b>	(n=1,269)	(n=1,172)	(n=1,108)	(n=671)
a. None	99.4% (±0.4)	98.7% (±0.6)	94.9% (±1.3)	81.5% (±2.9)
b. 1-2 days	0.4% (±0.3)	1.0% (±0.6)	4.3% (±1.2)	10.7% (±2.3)
c. 3-5 days	0.1% (±0.2)	0.1% (±0.2)	0.5% (±0.4)	5.7% (±1.8)
d. 6-9 days	0.1% (±0.2)	0.1% (±0.2)	0.1% (±0.2)	1.3% (±0.9)
e. 10 or more days	0.1% (±0.2)	0.1% (±0.2)	0.2% (±0.3)	0.7% (±0.7)
<i>Any use in past 30 days</i>	0.6% (±0.4)	1.3% (±0.6)	5.1% (±1.3)	18.5% (±2.9)

	Grade 6	Grade 8	Grade 10	Grade 12
	% (± CI) (n=1,268)	% (± CI) (n=1,176)	% (± CI) (n=1,106)	% (± CI) (n=669)
<b>38. Use marijuana or hashish?</b>				
a. None	99.7% (±0.3)	99.2% (±0.5)	96.7% (±1.0)	89.7% (±2.3)
b. 1-2 days	0.1% (±0.2)	0.3% (±0.3)	1.7% (±0.8)	4.6% (±1.6)
c. 3-5 days	0.0% (±0.0)	0.3% (±0.3)	0.7% (±0.5)	2.5% (±1.2)
d. 6-9 days	0.0% (±0.0)	0.0% (±0.0)	0.2% (±0.3)	0.9% (±0.7)
e. 10-19 days	0.0% (±0.0)	0.1% (±0.2)	0.3% (±0.3)	0.3% (±0.4)
f. 20-29 days	0.2% (±0.2)	0.0% (±0.0)	0.2% (±0.3)	1.3% (±0.9)
g. All 30 days	0.1% (±0.2)	0.1% (±0.2)	0.2% (±0.3)	0.6% (±0.6)
<i>Any use in past 30 days</i>	0.3% (±0.3)	0.8% (±0.5)	3.3% (±1.0)	10.3% (±2.3)
<b>39. Not counting alcohol, tobacco, or marijuana, use another illegal drug?</b>	(n=1,234)	(n=595)	(n=507)	(n=337)
a. None	99.7% (±0.3)	99.8% (±0.3)	100.0% (±0.0)	98.8% (±1.2)
b. 1-2 days	0.0% (±0.0)	0.2% (±0.3)	0.0% (±0.0)	0.6% (±0.8)
c. 3-5 days	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)	0.6% (±0.8)
d. 6-9 days	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)
e. 10 or more days	0.3% (±0.3)	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)
<i>Any use in past 30 days</i>	0.3% (±0.3)	0.2% (±0.3)	0.0% (±0.0)	1.2% (±1.2)
<b>40. Use any illegal drug, including marijuana? (Computed from questions 38 and 39)</b>	(n=1,229)	(n=593)	(n=505)	(n=337)
None	99.3% (±0.5)	99.3% (±0.7)	96.6% (±1.6)	89.6% (±3.3)
1 or more days	0.7% (±0.5)	0.7% (±0.7)	3.4% (±1.6)	10.4% (±3.3)
<b>41. Use a pain killer TO GET HIGH, like Vicodin, OxyContin (sometimes called Oxy or OC) or Percocet (sometimes called Percs)?</b>	(n=0)	(n=1,172)	(n=1,105)	(n=671)
a. None	**	99.7% (±0.3)	99.5% (±0.4)	99.6% (±0.5)
b. 1-2 days	**	0.1% (±0.2)	0.5% (±0.4)	0.1% (±0.3)
c. 3-5 days	**	0.2% (±0.2)	0.0% (±0.0)	0.1% (±0.3)
d. 6-9 days	**	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)
e. 10 or more days	**	0.1% (±0.2)	0.0% (±0.0)	0.1% (±0.3)
<i>Any use in past 30 days</i>	**	0.3% (±0.3)	0.5% (±0.4)	0.4% (±0.5)
<b>42. Use prescription drugs not prescribed to you?</b>	(n=0)	(n=597)	(n=505)	(n=336)
a. None	**	99.3% (±0.7)	98.6% (±1.0)	98.8% (±1.2)
b. 1-2 days	**	0.7% (±0.7)	0.8% (±0.8)	0.9% (±1.0)
c. 3-5 days	**	0.0% (±0.0)	0.2% (±0.4)	0.3% (±0.6)
d. 6-9 days	**	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)
e. 10 or more days	**	0.0% (±0.0)	0.4% (±0.5)	0.0% (±0.0)
<i>Any use in past 30 days</i>	**	0.7% (±0.7)	1.4% (±1.0)	1.2% (±1.2)
<b>43. During the past 30 days, which of the following have you used for non-medical reasons? Choose all that apply.</b>	(n=0)	(n=662)	(n=576)	(n=388)
a. I did not take any of these for non-medical reasons.	**	96.7% (±1.5)	96.1% (±1.7)	96.9% (±1.9)
b. I used a stimulant, like Adderall or Ritalin.	**	0.4% (±0.5)	0.6% (±0.7)	0.6% (±0.9)
c. I used a painkiller, like Vicodin, OxyContin, or Percocet.	**	0.0% (±0.0)	0.4% (±0.6)	0.6% (±0.9)
d. I used a tranquilizer, like Valium or Xanax.	**	0.0% (±0.0)	0.2% (±0.4)	0.3% (±0.6)
e. I used another kind of prescription drug.	**	0.4% (±0.5)	0.6% (±0.7)	0.6% (±0.9)
f. I used an over-the-counter drug, like cough syrup or cold medicine.	**	3.2% (±1.4)	2.2% (±1.3)	0.9% (±1.1)
g. I took something, but I don't know what it was.	**	0.9% (±0.7)	0.2% (±0.3)	0.3% (±0.5)



## Other Tobacco-Related Questions

	Grade 6	Grade 8	Grade 10	Grade 12
	% (± CI) (n=0)	% (± CI) (n=579)	% (± CI) (n=593)	% (± CI) (n=333)
<b>44. Are the cigarettes that you usually smoke menthol cigarettes?</b>				
a. I do not smoke cigarettes.	**	92.7% (±2.1)	90.9% (±2.3)	85.3% (±3.8)
b. Yes	**	0.2% (±0.3)	0.2% (±0.3)	1.2% (±1.2)
c. No	**	7.1% (±2.1)	8.9% (±2.3)	13.5% (±3.7)
<b>45. During the past 7 days, on how many days were you in the same room with someone who was smoking cigarettes?</b>	(n=1,235)	(n=587)	(n=606)	(n=331)
a. 0 days	92.5% (±1.5)	92.2% (±2.2)	90.9% (±2.3)	89.1% (±3.4)
b. 1-2 days	5.3% (±1.2)	6.1% (±1.9)	5.4% (±1.8)	6.9% (±2.8)
c. 3-4 days	1.1% (±0.6)	0.7% (±0.7)	1.2% (±0.9)	1.8% (±1.4)
d. 5-6 days	0.2% (±0.2)	0.5% (±0.6)	0.3% (±0.5)	0.3% (±0.6)
e. 7 days	1.0% (±0.5)	0.5% (±0.6)	2.1% (±1.2)	1.8% (±1.4)
<b>46. During the past 30 days, how did you usually get your own tobacco? Choose only one answer.</b>	(n=0)	(n=573)	(n=600)	(n=329)
a. I did not use tobacco during the past 30 days	**	99.1% (±0.8)	97.8% (±1.2)	93.6% (±2.7)
b. I bought it in a store such as a convenience store, supermarket, discount store or gas station	**	0.0% (±0.0)	0.0% (±0.0)	1.2% (±1.2)
c. I bought it from a vending machine	**	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)
d. I gave someone else money to buy them for me	**	0.0% (±0.0)	0.0% (±0.0)	0.9% (±1.0)
e. I borrowed (or bummed) them from someone else	**	0.3% (±0.5)	0.2% (±0.3)	3.0% (±1.9)
f. A person 18 years old or older gave them to me	**	0.0% (±0.0)	0.0% (±0.0)	0.3% (±0.6)
g. I took them from a store or a family member	**	0.0% (±0.0)	0.3% (±0.5)	0.3% (±0.6)
h. I got them some other way	**	0.5% (±0.6)	1.7% (±1.0)	0.6% (±0.8)
<b>47. How wrong do your friends feel it would be for you to: Use tobacco?</b>	(n=0)	(n=591)	(n=507)	(n=348)
a. Very wrong	**	86.3% (±2.8)	71.0% (±4.0)	56.3% (±5.2)
b. Wrong	**	11.2% (±2.5)	22.3% (±3.6)	30.7% (±4.9)
c. A little bit wrong	**	1.0% (±0.8)	4.1% (±1.7)	8.3% (±2.9)
d. Not at all wrong	**	1.5% (±1.0)	2.6% (±1.4)	4.6% (±2.2)
<b>48. If one of your best friends offered you a cigarette, would you smoke it?</b>	(n=0)	(n=585)	(n=605)	(n=331)
a. Definitely no	**	88.0% (±2.6)	83.6% (±3.0)	81.6% (±4.2)
b. Probably no	**	8.7% (±2.3)	12.9% (±2.7)	12.4% (±3.6)
c. Probably yes	**	2.9% (±1.4)	2.1% (±1.2)	5.1% (±2.4)
d. Definitely yes	**	0.3% (±0.5)	1.3% (±0.9)	0.9% (±1.0)
<b>49. Do you think that you will smoke a cigarette anytime in the next year?</b>	(n=0)	(n=585)	(n=602)	(n=331)
a. Definitely no	**	91.3% (±2.3)	84.1% (±2.9)	82.2% (±4.1)
b. Probably no	**	7.5% (±2.1)	13.0% (±2.7)	13.9% (±3.7)
c. Probably yes	**	1.0% (±0.8)	2.3% (±1.2)	3.0% (±1.9)
d. Definitely yes	**	0.2% (±0.3)	0.7% (±0.7)	0.9% (±1.0)
<b>50. Have made a firm commitment to not smoke cigarettes; i.e., not susceptible to smoking. (Computed from questions 48 and 49)</b>	(n=0)	(n=585)	(n=602)	(n=331)
a. Yes, not susceptible	**	86.0% (±2.8)	80.2% (±3.2)	78.2% (±4.5)
b. No, susceptible	**	14.0% (±2.8)	19.8% (±3.2)	21.8% (±4.5)

## Other Electronic Cigarette- and Vaping-Related Questions

51. During the past 12 months, did you ever try to quit using all products that contain nicotine, including cigarettes, e-cigarettes (e-cigs, vape pens, JUUL), cigars, smokeless tobacco, shisha and hookah tobacco?	Grade 6	Grade 8	Grade 10	Grade 12
	% (± CI) (n=0)	% (± CI) (n=581)	% (± CI) (n=603)	% (± CI) (n=330)
a. I did not use any products that contain nicotine during the past 12 months.	**	93.8% (±2.0)	92.4% (±2.1)	83.9% (±4.0)
b. Yes	**	0.7% (±0.7)	2.8% (±1.3)	6.1% (±2.6)
c. No	**	5.5% (±1.9)	4.8% (±1.7)	10.0% (±3.3)

52. How soon after you wake up do you want to use products with nicotine (cigarettes, JUUL, vapes, etc.)?	(n=0)	(n=583)	(n=604)	(n=328)
a. Within 5 minutes	**	0.5% (±0.6)	0.7% (±0.6)	0.3% (±0.6)
b. From 6 to 30 minutes	**	0.2% (±0.3)	0.3% (±0.5)	0.9% (±1.0)
c. From more than 30 minutes to 1 hour	**	0.5% (±0.6)	0.2% (±0.3)	0.3% (±0.6)
d. After more than 1 hour but less than 24 hours.	**	0.2% (±0.3)	0.7% (±0.6)	1.8% (±1.5)
e. I rarely use tobacco products or e-cigarettes.	**	0.5% (±0.6)	2.8% (±1.3)	7.6% (±2.9)
f. I do not use tobacco products or e-cigarettes.	**	98.1% (±1.1)	95.4% (±1.7)	89.0% (±3.4)

53. How old were you the first time you used an electronic cigarette, also called e-cigs, JUUL, or vape pens?	(n=0)	(n=577)	(n=596)	(n=341)
a. Never have	**	97.6% (±1.3)	91.4% (±2.3)	80.4% (±4.2)
b. 10 or younger	**	0.3% (±0.5)	0.0% (±0.0)	0.6% (±0.8)
c. 11	**	0.7% (±0.7)	0.2% (±0.3)	0.3% (±0.6)
d. 12	**	0.5% (±0.6)	1.0% (±0.8)	0.6% (±0.8)
e. 13	**	0.5% (±0.6)	2.5% (±1.3)	2.1% (±1.5)
f. 14	**	0.2% (±0.3)	3.2% (±1.4)	4.4% (±2.2)
g. 15	**	0.0% (±0.0)	1.3% (±0.9)	3.8% (±2.0)
h. 16	**	0.2% (±0.3)	0.3% (±0.5)	6.7% (±2.7)
i. 17 or older	**	0.0% (±0.0)	0.0% (±0.0)	1.2% (±1.1)

54. During the past 30 days, which of the following e-cig or vaping products did you use? Choose all that apply.	(n=0)	(n=1,130)	(n=1,094)	(n=669)
a. I did not use any e-cig or vaping products in the past 30 days.	**	98.5% (±0.7)	95.6% (±1.2)	91.6% (±2.1)
b. Liquid with nicotine in it	**	0.7% (±0.5)	2.5% (±0.9)	6.0% (±1.8)
c. Liquid with THC (marijuana) in it	**	0.4% (±0.4)	1.3% (±0.7)	4.3% (±1.5)
d. Liquid with nicotine and THC (marijuana) in it	**	0.3% (±0.3)	0.4% (±0.4)	0.6% (±0.6)
e. Liquid with neither nicotine nor THC	**	0.1% (±0.2)	0.2% (±0.3)	0.1% (±0.3)
f. Don't know	**	0.6% (±0.5)	1.5% (±0.7)	1.2% (±0.8)

55. During the past 30 days, which of the following e-cig or vaping products that you used were flavored? Choose all that apply.	(n=0)	(n=557)	(n=586)	(n=332)
a. I did not use any flavored e-cig or vaping products in the past 30 days	**	98.2% (±1.1)	95.6% (±1.7)	90.4% (±3.2)
b. Flavored liquid with nicotine	**	0.2% (±0.4)	2.9% (±1.4)	5.7% (±2.5)
c. Flavored liquid with THC (marijuana)	**	0.2% (±0.4)	0.5% (±0.6)	1.5% (±1.3)
d. Flavored liquid with nicotine and THC (marijuana)	**	0.2% (±0.4)	0.2% (±0.3)	0.6% (±0.8)
e. Flavored liquid with neither nicotine nor THC	**	0.0% (±0.0)	0.3% (±0.5)	0.3% (±0.6)
f. Don't know	**	1.3% (±0.9)	1.7% (±1.1)	3.3% (±1.9)

56. During the past 30 days, how did you usually get your own get your own e-cig or vaping products? Choose only one answer.	Grade 6 % (± CI) (n=0)	Grade 8 % (± CI) (n=568)	Grade 10 % (± CI) (n=591)	Grade 12 % (± CI) (n=337)
a. I did not use electronic vapor products during the past 30 days.	**	98.8% (±0.9)	96.3% (±1.5)	91.7% (±3.0)
b. I bought them in a store such as a convenience store, supermarket, discount store, or gas station.	**	0.0% (±0.0)	0.0% (±0.0)	1.5% (±1.3)
c. I bought them in a vape shop.	**	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)
d. I got them on the Internet.	**	0.4% (±0.5)	0.0% (±0.0)	0.0% (±0.0)
e. I gave someone else money to buy them for me.	**	0.4% (±0.5)	0.7% (±0.7)	2.1% (±1.5)
f. I borrowed (or bummed) them from someone else.	**	0.4% (±0.5)	1.2% (±0.9)	3.0% (±1.8)
g. A person 18 years old or older gave them to me.	**	0.2% (±0.3)	0.7% (±0.7)	0.6% (±0.8)
h. I took them from a store or family member.	**	0.0% (±0.0)	0.0% (±0.0)	0.3% (±0.6)
i. I got them some other way.	**	0.0% (±0.0)	1.2% (±0.9)	0.9% (±1.0)

**57. How much do you think people risk harming themselves if they use electronic cigarettes, also called e-cigs, JUUL, or vape pens regularly (almost daily)?**

	(n=0)	(n=570)	(n=596)	(n=337)
a. No risk	**	3.0% (±1.4)	3.9% (±1.6)	3.6% (±2.0)
b. Slight risk	**	3.0% (±1.4)	2.5% (±1.3)	5.0% (±2.3)
c. Moderate risk	**	17.7% (±3.1)	21.0% (±3.3)	27.3% (±4.8)
d. Great risk	**	71.1% (±3.7)	66.1% (±3.8)	59.6% (±5.3)
e. Not sure	**	5.3% (±1.8)	6.5% (±2.0)	4.5% (±2.2)

### Other Alcohol-Related Questions

**58. Think back over the last 2 weeks. How many times have you had five or more drinks in a row? (A drink is a glass of wine, a bottle of beer, a shot glass of liquor, or a mixed drink.)**

	(n=1,262)	(n=1,169)	(n=1,114)	(n=677)
a. None	99.4% (±0.4)	98.4% (±0.7)	96.6% (±1.1)	89.1% (±2.4)
b. Once	0.2% (±0.2)	0.9% (±0.6)	2.4% (±0.9)	4.7% (±1.6)
c. Twice	0.2% (±0.3)	0.2% (±0.2)	0.8% (±0.5)	3.2% (±1.3)
d. 3-5 times	0.1% (±0.2)	0.3% (±0.3)	0.1% (±0.2)	2.5% (±1.2)
e. 6-9 times	0.1% (±0.2)	0.0% (±0.0)	0.0% (±0.0)	0.4% (±0.5)
f. 10 or more times	0.0% (±0.0)	0.3% (±0.3)	0.1% (±0.2)	0.0% (±0.0)

**59. Drinking Categories Variable (Computed from questions 37 and 58)**

	(n=1,257)	(n=1,131)	(n=1,077)	(n=662)
None, no drinking past 30 days and no binge past 2 weeks	98.9% (±0.6)	97.6% (±0.9)	93.7% (±1.5)	80.1% (±3.1)
Experimental, 1-2 days drinking past 30 days and no binge past 2 weeks	0.3% (±0.3)	0.6% (±0.5)	2.4% (±0.9)	6.3% (±1.9)
Heavy, 3-5 days drinking past 30 days and/or 1 binge past 2 weeks	0.2% (±0.3)	1.0% (±0.6)	2.8% (±1.0)	6.3% (±1.9)
Problem, 6+ days drinking past 30 days and/or 2+ binge past 2 weeks	0.6% (±0.4)	0.8% (±0.5)	1.1% (±0.6)	7.3% (±2.0)

**60. During the past 30 days, if you used alcohol, what type of alcohol did you usually drink?**

	(n=0)	(n=570)	(n=503)	(n=339)
a. I did not drink alcohol during the past 30 days.	**	95.8% (±1.7)	92.2% (±2.3)	78.2% (±4.4)
b. I do not have a usual type.	**	1.4% (±1.0)	2.8% (±1.4)	4.7% (±2.3)
c. Beer	**	0.5% (±0.6)	0.4% (±0.6)	0.9% (±1.0)
d. Flavored malt beverages, such as Smirnoff Ice, Bacardi Silver, or Hard Lemonade	**	0.2% (±0.3)	1.0% (±0.9)	4.4% (±2.2)
e. Wine coolers, such as Bartles & Jaymes or Seagrams	**	0.0% (±0.0)	0.0% (±0.0)	0.6% (±0.8)
f. Wine	**	0.4% (±0.5)	0.8% (±0.8)	1.2% (±1.2)
g. Liquor, such as vodka, rum, scotch, bourbon or whiskey	**	0.9% (±0.8)	2.8% (±1.4)	9.1% (±3.1)
h. Some other type	**	0.9% (±0.8)	0.0% (±0.0)	0.9% (±1.0)

	Grade 6	Grade 8	Grade 10	Grade 12
<b>61. During the past 30 days, if you used alcohol, how did you get it? Choose all that apply.</b>	% (± CI) (n=0)	% (± CI) (n=570)	% (± CI) (n=495)	% (± CI) (n=336)
a. I did not get alcohol in the past 30 days.	**	97.5% (±1.3)	94.1% (±2.1)	79.5% (±4.3)
b. I bought it from a store.	**	0.2% (±0.3)	0.2% (±0.4)	1.2% (±1.2)
c. I stole it from a store.	**	0.4% (±0.5)	0.6% (±0.7)	0.3% (±0.6)
d. I got it from friends.	**	0.0% (±0.0)	2.4% (±1.4)	9.2% (±3.1)
e. I got it at a party.	**	0.2% (±0.3)	1.0% (±0.9)	9.8% (±3.2)
f. I got it from an older brother or sister.	**	0.0% (±0.0)	0.8% (±0.8)	0.9% (±1.0)
g. I gave money to someone to get it for me.	**	0.0% (±0.0)	0.4% (±0.6)	1.2% (±1.2)
h. I took it from home without my parents' permission.	**	0.9% (±0.8)	1.2% (±1.0)	2.7% (±1.7)
i. I got it at home with my parents' permission.	**	1.2% (±0.9)	2.0% (±1.2)	5.4% (±2.4)
j. I got it some other way.	**	0.0% (±0.0)	0.2% (±0.4)	1.2% (±1.2)
<b>62. NOT including talks on drinking and driving, in the past year have your parent(s) or guardian(s) talked to you about why you should not drink alcohol?</b>	(n=0)	(n=582)	(n=501)	(n=344)
a. Yes, a number of times	**	41.2% (±4.0)	37.9% (±4.3)	32.8% (±5.0)
b. Yes, once	**	20.8% (±3.3)	25.0% (±3.8)	23.3% (±4.5)
c. No	**	21.8% (±3.4)	25.1% (±3.8)	35.2% (±5.1)
d. I don't remember.	**	16.2% (±3.0)	12.0% (±2.9)	8.7% (±3.0)
<b>63. How wrong do your parent(s) feel it would be for you to: Have one or two drinks of an alcoholic beverage nearly every day?</b>	(n=0)	(n=578)	(n=501)	(n=342)
a. Very wrong	**	94.1% (±1.9)	90.6% (±2.6)	80.4% (±4.2)
b. Wrong	**	5.2% (±1.8)	7.8% (±2.4)	16.4% (±3.9)
c. A little bit wrong	**	0.3% (±0.5)	0.8% (±0.8)	2.3% (±1.6)
d. Not wrong at all	**	0.3% (±0.5)	0.8% (±0.8)	0.9% (±1.0)
<b>64. How wrong do your friends feel it would be for you to: Have one or two drinks of an alcoholic beverage nearly every day?</b>	(n=0)	(n=591)	(n=508)	(n=349)
a. Very wrong	**	82.6% (±3.1)	64.8% (±4.2)	52.1% (±5.3)
b. Wrong	**	12.9% (±2.7)	25.2% (±3.8)	30.1% (±4.8)
c. A little bit wrong	**	3.7% (±1.5)	7.5% (±2.3)	12.6% (±3.5)
d. Not at all wrong	**	0.8% (±0.7)	2.6% (±1.4)	5.2% (±2.3)
<b>65. How much do you think people risk harming themselves if they: Have 5 or more drinks of an alcoholic beverage once or twice a week?</b>	(n=0)	(n=579)	(n=501)	(n=341)
a. No risk	**	1.6% (±1.0)	2.0% (±1.2)	2.1% (±1.5)
b. Slight risk	**	4.5% (±1.7)	6.0% (±2.1)	7.6% (±2.8)
c. Moderate risk	**	18.5% (±3.2)	29.3% (±4.0)	24.0% (±4.6)
d. Great risk	**	72.0% (±3.7)	59.9% (±4.3)	63.9% (±5.1)
e. Not sure	**	3.5% (±1.5)	2.8% (±1.4)	2.3% (±1.6)
<b>66. How do you feel about someone your age having one or two drinks of an alcoholic beverage nearly every day?</b>	(n=0)	(n=599)	(n=506)	(n=338)
a. Neither approve nor disapprove	**	8.5% (±2.2)	12.6% (±2.9)	15.7% (±3.9)
b. Somewhat disapprove	**	7.5% (±2.1)	17.6% (±3.3)	21.3% (±4.4)
c. Strongly disapprove	**	79.0% (±3.3)	66.4% (±4.1)	60.7% (±5.2)
d. Don't know or can't say	**	5.0% (±1.8)	3.4% (±1.6)	2.4% (±1.6)

## Other Marijuana-Related Questions

	Grade 6	Grade 8	Grade 10	Grade 12
	% (± CI) (n=0)	% (± CI) (n=569)	% (± CI) (n=510)	% (± CI) (n=338)
<b>67. Does anyone who lives with you now use marijuana?</b>				
a. No	**	96.5% (±1.5)	92.2% (±2.3)	87.9% (±3.5)
b. Yes	**	3.5% (±1.5)	7.8% (±2.3)	12.1% (±3.5)
<b>68. During the past 30 days, if you used marijuana, how did you use it? Choose all that apply.</b>	(n=0)	(n=568)	(n=498)	(n=333)
a. I did not use marijuana during the past 30 days.	**	99.3% (±0.7)	97.0% (±1.5)	88.6% (±3.4)
b. Smoked it (in a joint, bong, pipe, blunt).	**	0.4% (±0.5)	1.8% (±1.2)	7.2% (±2.8)
c. Ate it (in brownies, cakes, cookies, candy).	**	0.2% (±0.3)	0.6% (±0.7)	4.8% (±2.3)
d. Drank it (tea, cola, alcohol).	**	0.2% (±0.3)	0.2% (±0.4)	0.3% (±0.6)
e. Vaporized it (e-cig, JUUL, or vape pen).	**	0.4% (±0.5)	1.6% (±1.1)	5.7% (±2.5)
f. Dabbed it.	**	0.4% (±0.5)	0.2% (±0.4)	3.6% (±2.0)
g. Used it some other way.	**	0.2% (±0.3)	0.0% (±0.0)	0.0% (±0.0)
<b>69. If you use marijuana or hashish how long do you usually stay high?</b>	(n=0)	(n=575)	(n=509)	(n=336)
a. I don't use marijuana.	**	98.6% (±1.0)	94.3% (±2.0)	86.0% (±3.7)
b. I usually don't get high.	**	0.2% (±0.3)	1.0% (±0.9)	1.8% (±1.4)
c. 1 to 2 hours	**	0.9% (±0.8)	2.2% (±1.3)	3.9% (±2.1)
d. 3 to 4 hours	**	0.0% (±0.0)	1.8% (±1.1)	7.1% (±2.8)
e. 5 to 6 hours	**	0.0% (±0.0)	0.4% (±0.5)	0.6% (±0.8)
f. 7 to 8 hours	**	0.2% (±0.3)	0.4% (±0.5)	0.6% (±0.8)
g. 9 or more hours	**	0.2% (±0.3)	0.0% (±0.0)	0.0% (±0.0)
<b>70. During the past 30 days, if you used marijuana, how did you get it? Choose all that apply.</b>	(n=0)	(n=569)	(n=500)	(n=334)
a. I did not get marijuana in the past 30 days.	**	99.3% (±0.7)	97.4% (±1.4)	88.6% (±3.4)
b. I bought it from a store.	**	0.0% (±0.0)	0.0% (±0.0)	0.3% (±0.6)
c. I stole it from a store.	**	0.2% (±0.3)	0.0% (±0.0)	0.0% (±0.0)
d. I got it from friends.	**	0.2% (±0.3)	2.0% (±1.2)	8.4% (±3.0)
e. I got it at a party.	**	0.0% (±0.0)	0.2% (±0.4)	3.3% (±1.9)
f. I got it from an older brother or sister.	**	0.2% (±0.3)	0.0% (±0.0)	0.9% (±1.0)
g. I gave money to someone to get it for me.	**	0.0% (±0.0)	0.8% (±0.8)	2.4% (±1.6)
h. I took it from home without my parents' permission.	**	0.2% (±0.3)	0.0% (±0.0)	0.0% (±0.0)
i. I got it at home with my parents' permission.	**	0.0% (±0.0)	0.0% (±0.0)	0.6% (±0.8)
j. I got it some other way.	**	0.2% (±0.3)	0.0% (±0.0)	1.8% (±1.4)
<b>71. In the past year, have your parent(s) or guardian(s) talked to you about why you should not use marijuana?</b>	(n=0)	(n=580)	(n=499)	(n=343)
a. Yes, a number of times	**	40.2% (±4.0)	32.9% (±4.1)	31.2% (±4.9)
b. Yes, once	**	16.2% (±3.0)	21.8% (±3.6)	17.8% (±4.1)
c. No	**	31.2% (±3.8)	34.5% (±4.2)	46.1% (±5.3)
d. I don't remember.	**	12.4% (±2.7)	10.8% (±2.7)	5.0% (±2.3)
<b>72. How wrong do your friends feel it would be for you to: Use marijuana?</b>	(n=0)	(n=590)	(n=507)	(n=349)
a. Very wrong	**	85.9% (±2.8)	60.4% (±4.3)	39.5% (±5.2)
b. Wrong	**	9.5% (±2.4)	21.7% (±3.6)	25.8% (±4.6)
c. A little bit wrong	**	2.5% (±1.3)	10.8% (±2.7)	19.5% (±4.2)
d. Not at all wrong	**	2.0% (±1.1)	7.1% (±2.2)	15.2% (±3.8)

## Other Alcohol- and Drug-Related Questions

	Grade 6	Grade 8	Grade 10	Grade 12
	% (± CI) (n=0)	% (± CI) (n=589)	% (± CI) (n=516)	% (± CI) (n=336)
<b>73. How many times in the past year (12 months) have you been drunk or high while participating in school?</b>				
a. Never	**	99.3% (±0.7)	97.5% (±1.4)	94.6% (±2.4)
b. 1 - 2 times	**	0.5% (±0.6)	1.2% (±0.9)	2.7% (±1.7)
c. 3 - 5 times	**	0.0% (±0.0)	0.4% (±0.5)	1.2% (±1.2)
d. 6 - 9 times	**	0.0% (±0.0)	0.4% (±0.5)	0.0% (±0.0)
e. 10 or more times	**	0.2% (±0.3)	0.6% (±0.7)	1.5% (±1.3)
<b>74. During the past 30 days, which of the following did you use on school property? Choose all that apply.</b>	(n=0)	(n=1,145)	(n=1,097)	(n=679)
a. I have not been on school property in the past 30 days.	**	97.4% (±0.9)	96.3% (±1.1)	93.2% (±1.9)
b. I didn't use any of these on school property.	**	0.1% (±0.2)	0.1% (±0.2)	0.3% (±0.4)
c. Tobacco (cigarettes, cigars, or chew/dip)	**	0.5% (±0.4)	1.2% (±0.6)	2.7% (±1.2)
d. Electronic cigarette, also called e-cigs, JUUL, or vape pens	**	0.1% (±0.2)	0.4% (±0.4)	1.9% (±1.0)
e. Marijuana	**	0.2% (±0.2)	0.2% (±0.3)	0.7% (±0.6)
f. Alcohol (at least one drink)	**	2.5% (±0.9)	3.0% (±1.0)	4.0% (±1.5)
<b>75. When you used marijuana during the past 30 days, did you ever drink alcohol at the same time?</b>	(n=0)	(n=569)	(n=496)	(n=340)
a. I have not used marijuana in the past 30 days	**	79.4% (±3.3)	81.3% (±3.4)	67.9% (±5.0)
b. Yes, most of the time	**	0.0% (±0.0)	0.2% (±0.4)	0.9% (±1.0)
c. Yes, some of the time	**	0.2% (±0.3)	0.6% (±0.7)	3.2% (±1.9)
d. Yes, rarely	**	0.2% (±0.3)	0.4% (±0.6)	2.4% (±1.6)
e. No	**	20.2% (±3.3)	17.5% (±3.4)	25.6% (±4.7)
<b>76. During the past year in school, how many times did you get information in classes about reasons not to use alcohol or drugs?</b>	(n=1,213)	(n=573)	(n=504)	(n=340)
a. Never	41.8% (±2.8)	20.4% (±3.3)	34.5% (±4.2)	42.1% (±5.3)
b. Once	20.4% (±2.3)	17.8% (±3.1)	23.2% (±3.7)	25.3% (±4.6)
c. 2-3 times	20.0% (±2.3)	29.3% (±3.7)	29.4% (±4.0)	25.0% (±4.6)
d. 4 or more times	17.8% (±2.2)	32.5% (±3.8)	12.9% (±2.9)	7.6% (±2.8)
<b>77. How wrong do your parent(s) feel it would be for you to: Use prescription drugs not prescribed to you?</b>	(n=0)	(n=577)	(n=501)	(n=342)
a. Very wrong	**	92.9% (±2.1)	90.2% (±2.6)	86.3% (±3.7)
b. Wrong	**	6.6% (±2.0)	7.6% (±2.3)	11.1% (±3.3)
c. A little bit wrong	**	0.3% (±0.5)	1.4% (±1.0)	2.0% (±1.5)
d. Not at all wrong	**	0.2% (±0.3)	0.8% (±0.8)	0.6% (±0.8)
<b>78. How wrong do your friends feel it would be for you to: Use prescription drugs not prescribed to you?</b>	(n=0)	(n=590)	(n=507)	(n=348)
a. Very wrong	**	84.7% (±2.9)	75.5% (±3.8)	69.0% (±4.9)
b. Wrong	**	10.8% (±2.5)	19.3% (±3.4)	23.9% (±4.5)
c. A little bit wrong	**	3.1% (±1.4)	4.1% (±1.7)	4.9% (±2.3)
d. Not at all wrong	**	1.4% (±0.9)	1.0% (±0.9)	2.3% (±1.6)

<b>79. How much do you think people risk harming themselves if they: Use prescription drugs that are not prescribed to them?</b>	<b>Grade 6</b>	<b>Grade 8</b>	<b>Grade 10</b>	<b>Grade 12</b>
	<b>% (± CI) (n=0)</b>	<b>% (± CI) (n=580)</b>	<b>% (± CI) (n=501)</b>	<b>% (± CI) (n=340)</b>
a. No risk	**	1.6% (±1.0)	1.8% (±1.2)	0.9% (±1.0)
b. Slight risk	**	3.4% (±1.5)	3.2% (±1.5)	3.5% (±2.0)
c. Moderate risk	**	18.8% (±3.2)	16.2% (±3.2)	15.6% (±3.9)
d. Great risk	**	71.2% (±3.7)	75.2% (±3.8)	76.2% (±4.6)
e. Not sure	**	5.0% (±1.8)	3.6% (±1.6)	3.8% (±2.0)

## Other Health Concerns

### Nutrition and Fitness

This section provides results regarding other health concerns including nutrition and fitness, health conditions and health care, safety, behaviors related to intentional injury, and depression. Proper nutrition and exercise are critical components of a healthy life, as is access to preventive health care. Safety-related behaviors can profoundly influence the outcome of an accident. Injury is the leading cause of death for adolescents aged 10 to 19, and violence contributes to injury-related deaths. People who are depressed experience a range of symptoms, and depression is associated with suicidal behavior.

Obese: "Obese" includes students who are in the top 5% for body mass index by age and gender based on growth charts developed by the Centers for Disease Control and Prevention (2000). "Overweight" includes students who are in the top 15% but not the top 5%.

#### **80. Obese or overweight? (Computed from numeric responses to "How tall are you without your shoes on?" and "How much do you weigh without your shoes on?")**

	<b>(n=0)</b>	<b>(n=513)</b>	<b>(n=561)</b>	<b>(n=316)</b>
Obese	**	5.8% (±2.0)	4.6% (±1.7)	7.9% (±3.0)
Overweight	**	11.1% (±2.7)	7.5% (±2.2)	12.0% (±3.6)
Normal weight	**	77.8% (±3.6)	79.9% (±3.3)	74.4% (±4.8)
Underweight	**	5.3% (±1.9)	8.0% (±2.3)	5.7% (±2.6)

#### **81. How often do you eat dinner with your family?**

	<b>(n=1,225)</b>	<b>(n=591)</b>	<b>(n=597)</b>	<b>(n=332)</b>
a. Never	1.2% (±0.6)	1.4% (±0.9)	3.2% (±1.4)	4.8% (±2.3)
b. Rarely	4.7% (±1.2)	6.1% (±1.9)	8.4% (±2.2)	10.2% (±3.3)
c. Sometimes	10.3% (±1.7)	14.2% (±2.8)	20.3% (±3.2)	24.4% (±4.6)
d. Most of the time	32.1% (±2.6)	34.7% (±3.8)	38.2% (±3.9)	39.5% (±5.3)
e. Always	51.8% (±2.8)	43.7% (±4.0)	30.0% (±3.7)	21.1% (±4.4)

#### **82. How often in the past 12 months did you or your family have to cut meal size or skip meals because there wasn't enough money for food?**

	<b>(n=0)</b>	<b>(n=1,180)</b>	<b>(n=1,121)</b>	<b>(n=676)</b>
a. Almost every month	**	0.4% (±0.4)	0.5% (±0.4)	0.7% (±0.6)
b. Some months but not every month	**	0.4% (±0.4)	0.9% (±0.6)	1.6% (±1.0)
c. Only 1-2 months	**	0.9% (±0.5)	1.6% (±0.7)	0.3% (±0.4)
d. Did not have to skip or cut the size of meals.	**	98.2% (±0.8)	97.0% (±1.0)	97.3% (±1.2)

#### **83. Did you eat breakfast today?**

	<b>(n=1,249)</b>	<b>(n=590)</b>	<b>(n=595)</b>	<b>(n=332)</b>
a. Yes	79.2% (±2.3)	72.0% (±3.6)	65.9% (±3.8)	51.2% (±5.4)
b. No	20.8% (±2.3)	28.0% (±3.6)	34.1% (±3.8)	48.8% (±5.4)

	Grade 6	Grade 8	Grade 10	Grade 12
<b>84. Number of servings of fruits and vegetables eaten per day (Computed from FV1 - FV6)</b>	% (± CI) (n=0)	% (± CI) (n=549)	% (± CI) (n=582)	% (± CI) (n=316)
a. Less than 1	**	6.9% (±2.1)	5.3% (±1.8)	9.8% (±3.3)
b. 1 to less than 3	**	34.4% (±4.0)	42.1% (±4.0)	39.6% (±5.4)
c. 3 to less than 5	**	28.4% (±3.8)	27.8% (±3.7)	27.5% (±5.0)
d. 5 or more	**	30.2% (±3.9)	24.7% (±3.5)	23.1% (±4.7)
<b>85. During the past 7 days, how many times did you drink sugar-sweetened drinks like soda, sports drinks, energy drinks, coffee drinks, tea drinks, or other flavored sugar-sweetened drinks? Do not include diet, sugar-free or drinks with artificial sweetener.</b>	(n=0)	(n=585)	(n=596)	(n=330)
a. 0 times	**	25.0% (±3.5)	22.0% (±3.3)	23.6% (±4.6)
b. 1 - 3 times	**	55.9% (±4.0)	53.7% (±4.0)	44.5% (±5.4)
c. 4 - 6 times	**	10.3% (±2.5)	10.4% (±2.5)	13.6% (±3.7)
d. 1 time per day	**	5.0% (±1.8)	9.2% (±2.3)	11.8% (±3.5)
e. 2 times per day	**	2.7% (±1.3)	3.2% (±1.4)	5.2% (±2.4)
f. 3 times per day	**	0.5% (±0.6)	1.0% (±0.8)	0.3% (±0.6)
g. 4 or more times per day	**	0.7% (±0.7)	0.5% (±0.6)	0.9% (±1.0)
<b>86. During the past 7 days, how many times did you drink sugar-sweetened drinks like soda, sports drinks, energy drinks, coffee drinks, tea drinks, or other flavored sugar-sweetened drinks at school (including any after-school and weekend activities)? Do not include diet, sugar-free or drinks with artificial sweetener.</b>	(n=0)	(n=583)	(n=594)	(n=328)
a. 0 times	**	66.7% (±3.8)	68.5% (±3.7)	57.6% (±5.4)
b. 1 - 3 times	**	26.6% (±3.6)	26.6% (±3.6)	33.8% (±5.1)
c. 4 - 6 times	**	4.6% (±1.7)	3.4% (±1.5)	6.7% (±2.7)
d. 7 - 9 times	**	1.5% (±1.0)	0.7% (±0.7)	0.9% (±1.0)
e. 10 times or more	**	0.3% (±0.5)	0.3% (±0.5)	0.3% (±0.6)
f. I have not been on school property in the past 7 days.	**	0.2% (±0.3)	0.5% (±0.6)	0.6% (±0.8)
<b>87. During the past 7 days, where did you usually get the soda or other sugar-sweetened drinks that you drank at school? Choose only one answer.</b>	(n=0)	(n=581)	(n=593)	(n=328)
a. I did not drink sodas, sports drinks, or other flavored drinks at school.	**	67.0% (±3.8)	66.3% (±3.8)	56.1% (±5.4)
b. I brought them from home.	**	13.8% (±2.8)	16.9% (±3.0)	26.2% (±4.8)
c. I got them from friends.	**	2.9% (±1.4)	1.2% (±0.9)	2.1% (±1.6)
d. I bought them at school.	**	13.8% (±2.8)	13.0% (±2.7)	6.7% (±2.7)
e. Other	**	2.4% (±1.3)	2.4% (±1.2)	7.9% (±2.9)
f. I have not been on school property in the past 7 days.	**	0.2% (±0.3)	0.3% (±0.5)	0.9% (±1.0)
<b>88. How many sugar-sweetened drinks (such as sodas, sports drinks, energy drinks, coffee drinks, or tea drinks) did you drink yesterday?</b>	(n=1,242)	(n=0)	(n=0)	(n=0)
a. None	52.1% (±2.8)	**	**	**
b. 1	36.3% (±2.7)	**	**	**
c. 2	8.6% (±1.6)	**	**	**
d. 3	1.9% (±0.8)	**	**	**
e. 4 or more	1.1% (±0.6)	**	**	**



89. Did you buy any sugar-sweetened drink (such as sodas, sports drinks, energy drinks, coffee drinks, or tea drinks) at school yesterday?	Grade 6	Grade 8	Grade 10	Grade 12
	% (± CI) (n=1,249)	% (± CI) (n=0)	% (± CI) (n=0)	% (± CI) (n=0)
a. I did not buy any sugar-sweetened drinks yesterday.	43.9% (±2.8)	**	**	**
b. Yes	6.6% (±1.4)	**	**	**
c. No	25.1% (±2.4)	**	**	**
d. I was not on school property yesterday.	24.4% (±2.4)	**	**	**

90. In the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? (Add up all the time you spent in any kind of physical activity that increases your heart rate or makes you breathe hard some of the time.)	Grade 6	Grade 8	Grade 10	Grade 12
	(n=1,324)	(n=578)	(n=599)	(n=337)
a. 0 days	3.1% (±0.9)	6.1% (±2.0)	8.2% (±2.2)	14.8% (±3.8)
b. 1 day	4.5% (±1.1)	3.1% (±1.4)	4.0% (±1.6)	7.4% (±2.8)
c. 2 days	5.5% (±1.2)	7.4% (±2.1)	8.3% (±2.2)	8.9% (±3.1)
d. 3 days	9.9% (±1.6)	12.1% (±2.7)	13.4% (±2.7)	13.1% (±3.6)
e. 4 days	12.9% (±1.8)	12.8% (±2.7)	15.4% (±2.9)	13.4% (±3.7)
f. 5 days	23.7% (±2.3)	19.2% (±3.2)	16.9% (±3.0)	15.7% (±3.9)
g. 6 days	14.4% (±1.9)	14.2% (±2.9)	12.2% (±2.6)	12.8% (±3.6)
h. 7 days	26.1% (±2.4)	25.1% (±3.5)	21.7% (±3.3)	13.9% (±3.7)

91. On how many of the past 7 days did you do exercises to strengthen or tone your muscles, such as push-ups, sit-ups, or weight lifting?	Grade 6	Grade 8	Grade 10	Grade 12
	(n=0)	(n=563)	(n=593)	(n=335)
a. 0 days	**	19.7% (±3.3)	22.9% (±3.4)	29.6% (±4.9)
b. 1 day	**	12.4% (±2.7)	12.5% (±2.7)	10.1% (±3.3)
c. 2 days	**	11.4% (±2.6)	14.5% (±2.8)	15.5% (±3.9)
d. 3 days	**	14.6% (±2.9)	14.7% (±2.9)	14.0% (±3.7)
e. 4 days	**	9.9% (±2.5)	11.0% (±2.5)	7.2% (±2.8)
f. 5 days	**	15.5% (±3.0)	8.8% (±2.3)	10.7% (±3.3)
g. 6 days	**	4.8% (±1.8)	6.1% (±1.9)	5.7% (±2.5)
h. 7 days	**	11.7% (±2.7)	9.6% (±2.4)	7.2% (±2.8)

92. On average, how many days a week do you walk to or from school?	Grade 6	Grade 8	Grade 10	Grade 12
	(n=1,340)	(n=578)	(n=598)	(n=338)
a. In an average week, I don't normally travel to school.	2.1% (±0.8)	11.4% (±2.6)	10.0% (±2.4)	8.6% (±3.0)
b. Never	77.3% (±2.2)	65.2% (±3.9)	73.4% (±3.6)	77.5% (±4.5)
c. 1 - 2 days	5.4% (±1.2)	8.8% (±2.3)	5.7% (±1.9)	6.5% (±2.6)
d. 3 - 4 days	3.5% (±1.0)	2.8% (±1.3)	2.3% (±1.2)	3.3% (±1.9)
e. I walk every day.	11.7% (±1.7)	11.8% (±2.6)	8.5% (±2.2)	4.1% (±2.1)

93. On average, how many days a week do you ride a bicycle to or from school?	Grade 6	Grade 8	Grade 10	Grade 12
	(n=1,340)	(n=577)	(n=595)	(n=336)
a. In an average week, I don't normally travel to school.	1.6% (±0.7)	12.7% (±2.7)	11.4% (±2.6)	9.2% (±3.1)
b. Never	94.0% (±1.3)	81.5% (±3.2)	85.5% (±2.8)	88.1% (±3.5)
c. 1 - 2 days	2.5% (±0.8)	3.6% (±1.5)	1.2% (±0.9)	1.5% (±1.3)
d. 3 - 4 days	0.8% (±0.5)	0.5% (±0.6)	0.3% (±0.5)	0.0% (±0.0)
e. I bike every day.	1.1% (±0.6)	1.7% (±1.1)	1.5% (±1.0)	1.2% (±1.2)

**94. On an average school day, how many hours do you watch TV shows or movies or stream videos (such as YouTube, Netflix, Hulu) on any electronic device (Computer, TV set, tablets or smartphone)?**

	Grade 6 % (± CI) (n=1,320)	Grade 8 % (± CI) (n=583)	Grade 10 % (± CI) (n=595)	Grade 12 % (± CI) (n=337)
a. I do not watch TV or movies on an average school day.	11.3% (±1.7)	9.1% (±2.3)	10.3% (±2.4)	11.9% (±3.5)
b. Less than 1 hour per day	18.2% (±2.1)	16.8% (±3.0)	16.1% (±3.0)	16.3% (±4.0)
c. 1 hour per day	20.7% (±2.2)	20.8% (±3.3)	19.8% (±3.2)	19.3% (±4.2)
d. 2 hours per day	24.7% (±2.3)	23.7% (±3.5)	24.7% (±3.5)	28.5% (±4.8)
e. 3 hours per day	12.8% (±1.8)	14.2% (±2.8)	17.0% (±3.0)	12.2% (±3.5)
f. 4 hours per day	4.9% (±1.2)	7.5% (±2.2)	5.2% (±1.8)	4.5% (±2.2)
g. 5 or more hours per day	7.4% (±1.4)	7.9% (±2.2)	6.9% (±2.0)	7.4% (±2.8)

**95. On an average school day, how many hours do you play video or computer games, or use a computer for something that is not school work? (Count time spent on things such as Xbox, PlayStation, tablet or smartphone, social media).**

	(n=1,325)	(n=581)	(n=597)	(n=338)
a. I do not play video games or use a computer for something that is not school work.	18.0% (±2.1)	15.5% (±3.0)	21.1% (±3.3)	23.1% (±4.5)
b. Less than 1 hour per day	26.9% (±2.4)	23.1% (±3.4)	21.8% (±3.3)	17.8% (±4.1)
c. 1 hour per day	18.3% (±2.1)	17.0% (±3.1)	16.4% (±3.0)	18.0% (±4.1)
d. 2 hours per day	16.1% (±2.0)	20.3% (±3.3)	18.6% (±3.1)	17.8% (±4.1)
e. 3 hours per day	10.3% (±1.6)	12.0% (±2.7)	9.5% (±2.4)	10.1% (±3.2)
f. 4 hours per day	4.4% (±1.1)	4.8% (±1.7)	6.9% (±2.0)	5.0% (±2.3)
g. 5 or more hours per day	6.2% (±1.3)	7.2% (±2.1)	5.7% (±1.9)	8.3% (±3.0)

**96. During the average week, on how many days do you participate in supervised after-school activities either at school or away from school? Include activities such as sports, art, music, dance, drama, or community service, religious, or club activities.**

	(n=1,290)	(n=1,171)	(n=1,120)	(n=677)
a. 0 days	24.3% (±2.3)	37.7% (±2.8)	28.0% (±2.6)	31.0% (±3.5)
b. 1-2 days	26.4% (±2.4)	18.0% (±2.2)	27.6% (±2.6)	27.8% (±3.4)
c. 3 or more days	49.4% (±2.7)	44.3% (±2.8)	44.4% (±2.9)	41.2% (±3.7)

**97. Did you participate in team sports or athletics in the past 12 months?**

	(n=0)	(n=589)	(n=517)	(n=337)
a. Yes	**	76.7% (±3.4)	63.8% (±4.2)	54.0% (±5.3)
b. No	**	23.3% (±3.4)	36.2% (±4.2)	46.0% (±5.3)

## Health Conditions and Health Care

**98. When was the last time you saw a doctor or health care provider for a check-up or physical exam when you were not sick or injured?**

	(n=0)	(n=585)	(n=600)	(n=335)
a. During the past 12 months	**	77.6% (±3.4)	75.8% (±3.4)	73.4% (±4.8)
b. Between 12 and 24 months ago	**	9.1% (±2.3)	13.7% (±2.8)	13.7% (±3.7)
c. More than 24 months ago	**	4.6% (±1.7)	4.3% (±1.6)	6.6% (±2.7)
d. Never	**	1.2% (±0.9)	0.5% (±0.6)	0.9% (±1.0)
e. Not sure	**	7.5% (±2.1)	5.7% (±1.9)	5.4% (±2.4)

	Grade 6	Grade 8	Grade 10	Grade 12
	% (± CI) (n=1,338)	% (± CI) (n=590)	% (± CI) (n=604)	% (± CI) (n=333)
<b>99. Has a doctor or nurse ever told you that you have asthma?</b>				
a. Yes	9.5% (±1.6)	13.7% (±2.8)	15.9% (±2.9)	14.7% (±3.8)
b. No	82.7% (±2.0)	80.5% (±3.2)	78.8% (±3.3)	82.6% (±4.1)
c. Not sure	7.8% (±1.4)	5.8% (±1.9)	5.3% (±1.8)	2.7% (±1.8)
<b>100. Do you still have asthma?</b>	(n=1,339)	(n=589)	(n=603)	(n=333)
a. I have never had asthma.	65.7% (±2.5)	64.3% (±3.9)	55.9% (±4.0)	44.4% (±5.4)
b. Yes	4.7% (±1.1)	6.8% (±2.0)	7.1% (±2.1)	7.8% (±2.9)
c. No	21.4% (±2.2)	20.5% (±3.3)	29.0% (±3.6)	41.7% (±5.3)
d. Not sure	8.1% (±1.5)	8.3% (±2.2)	8.0% (±2.2)	6.0% (±2.6)
<b>101. When was the last time you saw a dentist for a check-up, exam, teeth cleaning, or other dental work?</b>	(n=0)	(n=575)	(n=596)	(n=334)
a. During the past 12 months	**	83.0% (±3.1)	85.7% (±2.8)	83.5% (±4.0)
b. Between 12 and 24 months ago	**	9.4% (±2.4)	8.4% (±2.2)	8.4% (±3.0)
c. More than 24 months ago	**	1.9% (±1.1)	2.5% (±1.3)	5.1% (±2.4)
d. Never	**	1.0% (±0.8)	0.7% (±0.7)	0.9% (±1.0)
e. Not sure	**	4.7% (±1.7)	2.7% (±1.3)	2.1% (±1.5)
<b>102. During the past 12 months, how many days did you miss some school because of toothache? (Do not include toothache due to braces or injury.)</b>	(n=0)	(n=586)	(n=601)	(n=334)
a. None	**	96.2% (±1.5)	97.0% (±1.4)	93.7% (±2.6)
b. 1-4 days	**	2.4% (±1.2)	1.2% (±0.9)	3.9% (±2.1)
c. 5 days or more	**	0.2% (±0.3)	0.5% (±0.6)	1.5% (±1.3)
d. Not sure	**	1.2% (±0.9)	1.3% (±0.9)	0.9% (±1.0)
<b>103. During the past year, did you miss any time from school because of toothache? (Do not include toothache due to braces or an injury.)</b>	(n=1,337)	(n=0)	(n=0)	(n=0)
a. Yes	3.7% (±1.0)	**	**	**
b. No	91.0% (±1.5)	**	**	**
c. Not sure	5.3% (±1.2)	**	**	**
<b>104. On an average school night how many hours do you sleep?</b>	(n=0)	(n=588)	(n=610)	(n=335)
a. 5 hours or less	**	10.5% (±2.5)	17.2% (±3.0)	25.4% (±4.7)
b. About 6 hours	**	13.6% (±2.8)	34.3% (±3.8)	33.7% (±5.1)
c. About 7 hours	**	30.1% (±3.7)	26.4% (±3.5)	28.7% (±4.9)
d. About 8 hours	**	34.9% (±3.9)	17.4% (±3.0)	9.3% (±3.1)
e. 9 hours or more	**	10.9% (±2.5)	4.8% (±1.7)	3.0% (±1.8)
<b>105. Do you have any physical disabilities or long-term health problems lasting or expected to last 6 months or more?</b>	(n=0)	(n=585)	(n=597)	(n=334)
a. Yes	**	6.5% (±2.0)	8.9% (±2.3)	12.9% (±3.6)
b. No	**	86.2% (±2.8)	82.6% (±3.1)	82.0% (±4.1)
c. Not sure	**	7.4% (±2.1)	8.5% (±2.2)	5.1% (±2.4)

	Grade 6	Grade 8	Grade 10	Grade 12
<b>106. Do you have any long-term emotional problems or learning disabilities lasting or expected to last 6 months or more?</b>	% (± CI) (n=0)	% (± CI) (n=581)	% (± CI) (n=598)	% (± CI) (n=334)
a. Yes	**	11.2% (±2.6)	14.5% (±2.8)	29.0% (±4.9)
b. No	**	77.8% (±3.4)	73.1% (±3.6)	63.8% (±5.2)
c. Not sure	**	11.0% (±2.6)	12.4% (±2.6)	7.2% (±2.8)
<b>107. Would other people consider you to have a disability or long-term health problem including physical health, emotional, or learning problems?</b>	(n=0)	(n=581)	(n=598)	(n=333)
a. Yes	**	7.4% (±2.1)	10.2% (±2.4)	18.0% (±4.1)
b. No	**	78.0% (±3.4)	74.7% (±3.5)	70.6% (±4.9)
c. Not sure	**	14.6% (±2.9)	15.1% (±2.9)	11.4% (±3.4)
<b>108. Are you limited in any activities because of a disability or long-term health problem including physical health, emotional, or learning problems expected to last 6 months or more?</b>	(n=0)	(n=583)	(n=598)	(n=333)
a. Yes	**	4.3% (±1.6)	6.0% (±1.9)	11.4% (±3.4)
b. No	**	89.4% (±2.5)	85.3% (±2.8)	80.2% (±4.3)
c. Not sure	**	6.3% (±2.0)	8.7% (±2.3)	8.4% (±3.0)

## Sexual Behavior

<b>109. Have you ever had sex? †</b>	(n=0)	(n=579)	(n=603)	(n=332)
a. Yes	**	2.2% (±1.2)	8.1% (±2.2)	24.1% (±4.6)
b. No	**	97.8% (±1.2)	91.9% (±2.2)	75.9% (±4.6)
<b>110. How old were you when you had sex for the first time? †</b>	(n=0)	(n=579)	(n=603)	(n=332)
a. I have never had sex.	**	97.8% (±1.2)	91.9% (±2.2)	75.9% (±4.6)
b. 11 years old or younger	**	1.0% (±0.8)	0.8% (±0.7)	0.6% (±0.8)
c. 12 years old	**	0.2% (±0.3)	0.7% (±0.6)	0.3% (±0.6)
d. 13 years old	**	0.9% (±0.8)	0.7% (±0.6)	0.9% (±1.0)
e. 14 years old	**	0.2% (±0.3)	1.7% (±1.0)	3.6% (±2.0)
f. 15 years old	**	0.0% (±0.0)	4.3% (±1.6)	4.8% (±2.3)
g. 16 years old	**	0.0% (±0.0)	0.0% (±0.0)	9.0% (±3.1)
h. 17 years old or older	**	0.0% (±0.0)	0.0% (±0.0)	4.8% (±2.3)
<b>111. With how many people have you ever had sex? †</b>	(n=0)	(n=578)	(n=601)	(n=330)
a. I have never had sex.	**	98.1% (±1.1)	90.8% (±2.3)	76.1% (±4.6)
b. 1 person	**	0.9% (±0.8)	5.3% (±1.8)	12.4% (±3.6)
c. 2 people	**	0.2% (±0.3)	1.5% (±1.0)	3.6% (±2.0)
d. 3 people	**	0.3% (±0.5)	0.3% (±0.5)	2.1% (±1.6)
e. 4 people	**	0.0% (±0.0)	0.8% (±0.7)	1.8% (±1.4)
f. 5 people	**	0.0% (±0.0)	0.0% (±0.0)	1.2% (±1.2)
g. 6 or more people	**	0.5% (±0.6)	1.2% (±0.9)	2.7% (±1.8)

	Grade 6	Grade 8	Grade 10	Grade 12
<b>112. During your life, with whom have you had sexual contact? Choose all that apply. †</b>	% (± CI) (n=0)	% (± CI) (n=570)	% (± CI) (n=593)	% (± CI) (n=328)
a. I have never had sexual contact	**	96.0% (±1.6)	80.9% (±3.2)	66.2% (±5.1)
b. Females	**	2.6% (±1.3)	12.0% (±2.6)	21.0% (±4.4)
c. Males	**	1.2% (±0.9)	8.8% (±2.3)	16.2% (±4.0)
d. Other	**	0.2% (±0.3)	1.5% (±1.0)	0.3% (±0.6)

<b>113. The last time you had sex, what method(s) did you or your partner use to prevent pregnancy and/or sexually transmitted diseases? Choose all that you used. †</b>	(n=0)	(n=574)	(n=593)	(n=329)
a. I have never had sex	**	98.4% (±1.0)	91.6% (±2.2)	76.6% (±4.6)
b. No method was used	**	0.7% (±0.7)	1.9% (±1.1)	5.8% (±2.5)
c. Birth control pills	**	0.3% (±0.5)	1.9% (±1.1)	6.7% (±2.7)
d. Condoms	**	0.5% (±0.6)	5.4% (±1.8)	13.7% (±3.7)
e. An IUD or implant (such as Mirena or ParaGard; Implanon or Nexplanon)	**	0.0% (±0.0)	0.3% (±0.5)	3.0% (±1.9)
f. A shot (such as Depo-Provera)	**	0.0% (±0.0)	0.2% (±0.3)	0.9% (±1.0)
g. Patch or birth control ring (such as Xulane; NuvaRing)	**	0.0% (±0.0)	0.3% (±0.5)	0.3% (±0.6)
h. Withdrawal or some other method	**	0.0% (±0.0)	1.5% (±1.0)	2.7% (±1.8)
i. Not sure	**	0.3% (±0.5)	0.7% (±0.7)	0.6% (±0.8)

### Behaviors Related to Unintentional Injury

<b>114. When you ride a bicycle, how often do you wear a helmet?</b>	(n=1,342)	(n=0)	(n=0)	(n=0)
a. I do not ride a bicycle	7.8% (±1.4)	**	**	**
b. Never wear a helmet	3.1% (±0.9)	**	**	**
c. Rarely wear a helmet	5.0% (±1.2)	**	**	**
d. Sometimes wear a helmet	10.0% (±1.6)	**	**	**
e. Most of the time wear a helmet	28.3% (±2.4)	**	**	**
f. Always wear a helmet	45.8% (±2.7)	**	**	**

<b>115. How good a swimmer do you think you are?</b>	(n=1,344)	(n=588)	(n=605)	(n=335)
a. Good	51.3% (±2.7)	57.0% (±4.0)	57.4% (±4.0)	58.5% (±5.3)
b. So-so	38.5% (±2.6)	35.2% (±3.9)	31.7% (±3.7)	31.9% (±5.0)
c. Not good	7.0% (±1.4)	5.1% (±1.8)	7.6% (±2.1)	5.1% (±2.4)
d. Can't swim	3.1% (±0.9)	2.7% (±1.3)	3.3% (±1.4)	4.5% (±2.2)

<b>116. Have you ever taken formal swimming lessons?</b>	(n=1,340)	(n=589)	(n=606)	(n=335)
a. Yes	81.0% (±2.1)	84.2% (±3.0)	85.5% (±2.8)	84.2% (±3.9)
b. No	12.6% (±1.8)	12.9% (±2.7)	13.0% (±2.7)	14.6% (±3.8)
c. Not sure	6.3% (±1.3)	2.9% (±1.4)	1.5% (±1.0)	1.2% (±1.2)

<b>117. During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?</b>	(n=0)	(n=596)	(n=506)	(n=342)
a. 0 times	**	93.5% (±2.0)	94.3% (±2.0)	93.0% (±2.7)
b. 1 time	**	3.7% (±1.5)	3.4% (±1.6)	4.7% (±2.2)
c. 2-3 times	**	1.8% (±1.1)	1.8% (±1.2)	2.0% (±1.5)
d. 4-5 times	**	0.3% (±0.5)	0.0% (±0.0)	0.3% (±0.6)
e. 6 or more times	**	0.7% (±0.7)	0.6% (±0.7)	0.0% (±0.0)

	Grade 6	Grade 8	Grade 10	Grade 12
<b>118. In the last 30 days, have you ridden in a car driven by someone who had been drinking alcohol?</b>	% (± CI) (n=1,232)	% (± CI) (n=0)	% (± CI) (n=0)	% (± CI) (n=0)
a. Yes	2.9% (±0.9)	**	**	**
b. No	90.7% (±1.6)	**	**	**
c. Not sure	6.3% (±1.4)	**	**	**
<b>119. During the past 30 days, how many times did you: Drive a car or other vehicle when you had been drinking alcohol?</b>	(n=0)	(n=596)	(n=505)	(n=340)
a. I did not drive a car or other vehicle during the past 30 days.	**	78.0% (±3.3)	58.8% (±4.3)	34.1% (±5.1)
b. 0 times	**	21.8% (±3.3)	40.6% (±4.3)	62.9% (±5.2)
c. 1 time	**	0.0% (±0.0)	0.4% (±0.5)	2.4% (±1.6)
d. 2 - 3 times	**	0.0% (±0.0)	0.2% (±0.4)	0.6% (±0.8)
e. 4 - 5 times	**	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)
f. 6 or more times	**	0.2% (±0.3)	0.0% (±0.0)	0.0% (±0.0)
<b>120. During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been using marijuana?</b>	(n=0)	(n=597)	(n=505)	(n=342)
a. 0 times	**	98.8% (±0.9)	97.0% (±1.5)	91.5% (±3.0)
b. 1 time	**	0.7% (±0.7)	0.8% (±0.8)	2.9% (±1.8)
c. 2-3 times	**	0.0% (±0.0)	1.2% (±0.9)	3.5% (±2.0)
d. 4-5 times	**	0.3% (±0.5)	0.6% (±0.7)	0.6% (±0.8)
e. 6 or more times	**	0.2% (±0.3)	0.4% (±0.5)	1.5% (±1.3)
<b>121. During the past 30 days, how many times did you: Drive a car or other vehicle within three hours after using marijuana?</b>	(n=0)	(n=596)	(n=503)	(n=340)
a. I did not drive a car or other vehicle during the past 30 days.	**	77.9% (±3.3)	58.8% (±4.3)	33.8% (±5.1)
b. 0 times	**	22.0% (±3.3)	40.6% (±4.3)	62.4% (±5.2)
c. 1 time	**	0.0% (±0.0)	0.4% (±0.6)	1.8% (±1.4)
d. 2 - 3 times	**	0.0% (±0.0)	0.2% (±0.4)	0.6% (±0.8)
e. 4 - 5 times	**	0.0% (±0.0)	0.0% (±0.0)	0.3% (±0.6)
f. 6 or more times	**	0.2% (±0.3)	0.0% (±0.0)	1.2% (±1.2)
<b>122. During the past 30 days, how many days did you: Drive a car or other vehicle when you had been drinking alcohol and using marijuana at the same time?</b>	(n=0)	(n=1,175)	(n=1,102)	(n=670)
a. I did not drive a car or other vehicle during the past 30 days.	**	81.6% (±2.2)	54.8% (±2.9)	29.9% (±3.5)
b. 0 times	**	18.1% (±2.2)	45.0% (±2.9)	68.2% (±3.5)
c. 1 time	**	0.1% (±0.2)	0.1% (±0.2)	1.6% (±1.0)
d. 2 - 3 times	**	0.0% (±0.0)	0.0% (±0.0)	0.1% (±0.3)
e. 4 - 5 times	**	0.1% (±0.2)	0.0% (±0.0)	0.0% (±0.0)
f. 6 or more times	**	0.1% (±0.2)	0.1% (±0.2)	0.1% (±0.3)
<b>123. During the past 30 days, did you ride in a car or other vehicle driven by someone who was texting or emailing?</b>	(n=1,333)	(n=0)	(n=0)	(n=0)
a. Yes	15.2% (±1.9)	**	**	**
b. No	62.3% (±2.6)	**	**	**
c. Not sure	22.6% (±2.2)	**	**	**

	Grade 6	Grade 8	Grade 10	Grade 12
<b>124. During the past 30 days, how many times did you: Text or email while driving a car or other vehicle?</b>	% (± CI) (n=0)	% (± CI) (n=1,181)	% (± CI) (n=1,106)	% (± CI) (n=670)
a. I did not drive a car or other vehicle during the past 30 days.	**	80.9% (±2.2)	52.9% (±2.9)	23.9% (±3.2)
b. 0 times	**	16.6% (±2.1)	41.5% (±2.9)	37.6% (±3.7)
c. 1 time	**	0.6% (±0.4)	2.3% (±0.9)	10.0% (±2.3)
d. 2 - 3 times	**	0.9% (±0.5)	2.2% (±0.9)	14.6% (±2.7)
e. 4 - 5 times	**	0.0% (±0.0)	0.5% (±0.4)	3.7% (±1.4)
f. 6 or more times	**	0.9% (±0.5)	0.7% (±0.5)	10.1% (±2.3)

### Behaviors Related to Intentional Injury

#### 125. During the past 30 days, on how many days did you: Carry a weapon such as a gun, knife, or club on school property?

	(n=1,258)	(n=1,174)	(n=1,118)	(n=678)
a. 0 days	99.2% (±0.5)	98.6% (±0.7)	99.1% (±0.6)	99.0% (±0.8)
b. 1 - 5 days	0.7% (±0.5)	0.6% (±0.4)	0.6% (±0.5)	0.7% (±0.6)
c. 6 or more days	0.0% (±0.0)	0.5% (±0.4)	0.1% (±0.2)	0.3% (±0.4)
d. I have not been on school property in the past 30 days.	0.1% (±0.2)	0.3% (±0.3)	0.2% (±0.2)	0.0% (±0.0)

#### 126. During the past 12 months, how many times were you in a physical fight?

	(n=1,253)	(n=1,176)	(n=1,120)	(n=680)
a. 0 times	80.8% (±2.2)	90.3% (±1.7)	93.8% (±1.4)	95.6% (±1.5)
b. 1 time	11.1% (±1.7)	5.6% (±1.3)	3.8% (±1.1)	2.8% (±1.2)
c. 2-3 times	5.4% (±1.3)	2.6% (±0.9)	1.7% (±0.8)	1.3% (±0.9)
d. 4-5 times	0.9% (±0.5)	0.5% (±0.4)	0.4% (±0.4)	0.0% (±0.0)
e. 6 or more times	1.8% (±0.7)	0.9% (±0.6)	0.4% (±0.3)	0.3% (±0.4)

#### 127. A gang is a group of people with a leader who act together often for violent or illegal activities. During the past 12 months, have you been a member of a gang?

	(n=0)	(n=1,181)	(n=1,124)	(n=680)
a. No	**	97.5% (±0.9)	97.5% (±0.9)	95.1% (±1.6)
b. Yes	**	2.5% (±0.9)	2.5% (±0.9)	4.9% (±1.6)

#### 128. Are there gangs at your school?

	(n=0)	(n=1,179)	(n=1,127)	(n=681)
a. No	**	46.5% (±2.9)	29.0% (±2.7)	37.6% (±3.6)
b. Yes	**	3.1% (±1.0)	7.1% (±1.5)	9.8% (±2.2)
c. Don't know	**	50.5% (±2.9)	63.9% (±2.8)	52.6% (±3.8)

### Physical, Emotional and Sexual Abuse

#### 129. Not counting TV, movies, video games, and sporting events, have you seen an adult hit, slap, punch, shove, kick, or otherwise physically hurt another adult more than one time?

	(n=0)	(n=584)	(n=600)	(n=324)
a. No	**	84.1% (±3.0)	79.7% (±3.2)	79.9% (±4.4)
b. Yes	**	15.9% (±3.0)	20.3% (±3.2)	20.1% (±4.4)

#### 130. Has an adult ever physically hurt you on purpose (like pushed, slapped, hit, kicked or punched you), leaving a mark, bruise or injury?

	(n=0)	(n=585)	(n=596)	(n=326)
a. No	**	86.3% (±2.8)	83.9% (±3.0)	81.9% (±4.2)
b. Yes	**	13.7% (±2.8)	16.1% (±3.0)	18.1% (±4.2)

	Grade 6	Grade 8	Grade 10	Grade 12
<b>131. How often does a parent or adult in your home swear at you, insult you, put you down or humiliate you?</b>	% (± CI) (n=0)	% (± CI) (n=586)	% (± CI) (n=600)	% (± CI) (n=326)
a. Never or almost never	**	76.5% (±3.4)	70.2% (±3.7)	69.6% (±5.0)
b. Sometimes	**	17.2% (±3.1)	19.7% (±3.2)	22.4% (±4.5)
c. Often	**	4.4% (±1.7)	6.8% (±2.0)	4.3% (±2.2)
d. Very often	**	1.9% (±1.1)	3.3% (±1.4)	3.7% (±2.1)
<b>132. During the past 12 months, did someone you were dating or going out with ever limit your activities, threaten you, or make you feel unsafe in any other way?</b>	(n=0)	(n=587)	(n=599)	(n=327)
a. I did not date or go out with anyone during the past 12 months.	**	79.2% (±3.3)	65.1% (±3.8)	55.7% (±5.4)
b. No	**	19.8% (±3.2)	32.2% (±3.8)	35.8% (±5.2)
c. Yes	**	1.0% (±0.8)	2.7% (±1.3)	8.6% (±3.0)
<b>133. In the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose? (Count such things as being hit, slammed into something, or injured with an object or weapon.)</b>	(n=0)	(n=588)	(n=598)	(n=327)
a. I did not date or go out with anyone during the past 12 months.	**	80.6% (±3.2)	68.1% (±3.7)	59.0% (±5.4)
b. 0 times	**	18.7% (±3.2)	31.6% (±3.7)	38.8% (±5.3)
c. 1 time	**	0.2% (±0.3)	0.2% (±0.3)	1.5% (±1.3)
d. 2 or 3 times	**	0.3% (±0.5)	0.0% (±0.0)	0.3% (±0.6)
e. 4 or 5 times	**	0.0% (±0.0)	0.2% (±0.3)	0.3% (±0.6)
f. 6 or more times	**	0.2% (±0.3)	0.0% (±0.0)	0.0% (±0.0)
<b>134. Have you ever seen someone about your age pressure someone else to kiss, touch, or have sex when they did not want to? †</b>	(n=0)	(n=577)	(n=597)	(n=329)
a. Yes	**	9.0% (±2.3)	21.3% (±3.3)	28.6% (±4.9)
b. No	**	91.0% (±2.3)	78.7% (±3.3)	71.4% (±4.9)
<b>135. Have you ever been in a situation where someone made you engage in kissing, sexual touch or intercourse when you did not want to? †</b>	(n=0)	(n=576)	(n=599)	(n=330)
a. Yes	**	4.0% (±1.6)	8.7% (±2.3)	16.7% (±4.0)
b. No	**	96.0% (±1.6)	91.3% (±2.3)	83.3% (±4.0)

## Mental Health

<b>136. During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?</b>	(n=0)	(n=1,200)	(n=1,107)	(n=671)
a. Yes	**	22.3% (±2.4)	31.0% (±2.7)	37.0% (±3.7)
b. No	**	77.7% (±2.4)	69.0% (±2.7)	63.0% (±3.7)
<b>137. During the past 12 months, did you ever seriously consider attempting suicide?</b>	(n=0)	(n=1,198)	(n=1,103)	(n=672)
a. Yes	**	12.1% (±1.8)	19.7% (±2.3)	19.0% (±3.0)
b. No	**	87.9% (±1.8)	80.3% (±2.3)	81.0% (±3.0)



	Grade 6	Grade 8	Grade 10	Grade 12
<b>138. During the past 12 months, did you make a plan about how you would attempt suicide?</b>	% (± CI) (n=0)	% (± CI) (n=591)	% (± CI) (n=592)	% (± CI) (n=330)
a. Yes	**	12.2% (±2.6)	15.9% (±3.0)	14.5% (±3.8)
b. No	**	87.8% (±2.6)	84.1% (±3.0)	85.5% (±3.8)
<b>139. During the past 12 months, how many times did you actually attempt suicide?</b>	(n=0)	(n=592)	(n=593)	(n=329)
a. 0 times	**	93.9% (±1.9)	93.4% (±2.0)	93.6% (±2.7)
b. 1 time	**	4.2% (±1.6)	3.7% (±1.5)	3.6% (±2.0)
c. 2-3 times	**	1.2% (±0.9)	2.2% (±1.2)	1.8% (±1.5)
d. 4-5 times	**	0.3% (±0.5)	0.5% (±0.6)	0.3% (±0.6)
e. 6 or more times	**	0.3% (±0.5)	0.2% (±0.3)	0.6% (±0.8)
<b>140. Have you ever seriously thought about killing yourself?</b>	(n=1,236)	(n=0)	(n=0)	(n=0)
a. Yes	13.7% (±1.9)	**	**	**
b. No	86.3% (±1.9)	**	**	**
<b>141. Have you ever tried to kill yourself?</b>	(n=1,247)	(n=0)	(n=0)	(n=0)
a. Yes	2.8% (±0.9)	**	**	**
b. No	97.2% (±0.9)	**	**	**
<b>142. How often over the last 2 weeks, were you bothered by: Feeling nervous, anxious or on edge?</b>	(n=0)	(n=1,189)	(n=1,114)	(n=678)
a. Not at all	**	42.4% (±2.8)	25.8% (±2.6)	22.9% (±3.2)
b. Several days	**	32.2% (±2.7)	37.0% (±2.8)	35.1% (±3.6)
c. More than half the days	**	13.9% (±2.0)	17.0% (±2.2)	19.8% (±3.0)
d. Nearly every day	**	11.5% (±1.8)	20.3% (±2.4)	22.3% (±3.1)
<b>143. How often over the last 2 weeks, were you bothered by: Not being able to stop or control worrying?</b>	(n=0)	(n=1,181)	(n=1,107)	(n=674)
a. Not at all	**	56.5% (±2.8)	41.3% (±2.9)	35.0% (±3.6)
b. Several days	**	24.2% (±2.4)	30.4% (±2.7)	32.6% (±3.5)
c. More than half the days	**	11.5% (±1.8)	11.8% (±1.9)	15.1% (±2.7)
d. Nearly every day	**	7.8% (±1.5)	16.5% (±2.2)	17.2% (±2.9)
<b>144. When you feel sad or hopeless, are there adults that you can turn to for help?</b>	(n=1,252)	(n=594)	(n=595)	(n=330)
a. I never feel sad or hopeless.	11.3% (±1.8)	19.2% (±3.2)	12.6% (±2.7)	11.5% (±3.5)
b. Yes	70.2% (±2.5)	58.8% (±4.0)	58.5% (±4.0)	60.3% (±5.3)
c. No	6.9% (±1.4)	7.2% (±2.1)	11.9% (±2.6)	12.4% (±3.6)
d. Not sure	11.5% (±1.8)	14.8% (±2.9)	17.0% (±3.0)	15.8% (±4.0)

	Grade 6	Grade 8	Grade 10	Grade 12
<b>145. If you feel sad or hopeless almost every day for two weeks or more in a row, to whom would you most likely turn for help? Choose all that apply.</b>	% (± CI) (n=0)	% (± CI) (n=662)	% (± CI) (n=576)	% (± CI) (n=388)
a. Sibling or cousin	**	23.1% (±3.2)	20.1% (±3.3)	26.3% (±4.4)
b. Teacher, school counselor, or other adult in my school	**	10.1% (±2.3)	8.2% (±2.2)	10.1% (±3.0)
c. Friend or peer	**	40.5% (±3.7)	44.3% (±4.1)	53.6% (±5.0)
d. Parent/Guardian	**	42.4% (±3.8)	35.9% (±3.9)	40.7% (±4.9)
e. Religious/faith leader	**	1.8% (±1.0)	3.1% (±1.4)	4.4% (±2.0)
f. Coach	**	3.3% (±1.4)	2.1% (±1.2)	4.1% (±2.0)
g. Other adult that's not my parent	**	5.1% (±1.7)	6.4% (±2.0)	8.8% (±2.8)
h. I don't have anyone I would talk to.	**	8.8% (±2.2)	10.6% (±2.5)	6.2% (±2.4)
i. I have not felt sad or hopeless for two weeks or more in a row.	**	36.1% (±3.7)	26.2% (±3.6)	21.9% (±4.1)
<b>146. Last year, did you hear or see information at your school about the warning signs of suicide and how to get help for yourself or a friend?</b>	(n=0)	(n=585)	(n=603)	(n=331)
a. Yes	**	44.1% (±4.0)	56.4% (±4.0)	53.2% (±5.4)
b. No	**	34.4% (±3.9)	27.5% (±3.6)	29.0% (±4.9)
c. Not sure	**	21.5% (±3.3)	16.1% (±2.9)	17.8% (±4.1)
<b>147. How often do you: Experience increased social anxiety due to your Internet use.</b>	(n=0)	(n=578)	(n=600)	(n=334)
a. Never	**	63.1% (±3.9)	50.2% (±4.0)	42.2% (±5.3)
b. Rarely	**	21.1% (±3.3)	27.5% (±3.6)	24.3% (±4.6)
c. Sometimes	**	10.7% (±2.5)	15.8% (±2.9)	20.7% (±4.4)
d. Often	**	2.6% (±1.3)	4.5% (±1.7)	8.7% (±3.0)
e. Very often	**	2.4% (±1.3)	2.0% (±1.1)	4.2% (±2.2)
<b>148. How often do you: Feel withdrawal when away from the Internet.</b>	(n=0)	(n=578)	(n=597)	(n=332)
a. Never	**	61.4% (±4.0)	51.9% (±4.0)	38.6% (±5.3)
b. Rarely	**	23.2% (±3.5)	25.8% (±3.5)	27.7% (±4.8)
c. Sometimes	**	11.4% (±2.6)	16.1% (±3.0)	23.5% (±4.6)
d. Often	**	2.6% (±1.3)	4.4% (±1.6)	7.8% (±2.9)
e. Very often	**	1.4% (±1.0)	1.8% (±1.1)	2.4% (±1.7)
<b>149. How often do you: Lose motivation to do other things that need to get done because of the Internet.</b>	(n=0)	(n=573)	(n=602)	(n=332)
a. Never	**	49.4% (±4.1)	35.0% (±3.8)	27.1% (±4.8)
b. Rarely	**	21.3% (±3.4)	20.6% (±3.2)	20.2% (±4.3)
c. Sometimes	**	18.5% (±3.2)	26.4% (±3.5)	31.9% (±5.0)
d. Often	**	7.5% (±2.2)	13.0% (±2.7)	13.3% (±3.7)
e. Very often	**	3.3% (±1.5)	5.0% (±1.7)	7.5% (±2.9)

**COVID-19**

Students were asked about three strategies to prevent the spread of COVID. They were also asked if they have worries related to how the pandemic might affect their lives.

<b>150. There are things we can all do to stop the spread of certain illnesses like the flu, colds, and COVID. Please rate how often you usually: Wash your hands or use hand sanitizer between activities.</b>	<b>Grade 6</b>	<b>Grade 8</b>	<b>Grade 10</b>	<b>Grade 12</b>
	% (± CI) (n=1,219)	% (± CI) (n=1,173)	% (± CI) (n=1,118)	% (± CI) (n=679)
a. Never	0.7% (±0.5)	0.4% (±0.4)	1.8% (±0.8)	1.5% (±0.9)
b. Only some of the time	4.5% (±1.2)	4.2% (±1.1)	10.8% (±1.8)	10.0% (±2.3)
c. About half of the time	8.8% (±1.6)	10.1% (±1.7)	17.4% (±2.2)	15.5% (±2.7)
d. Most of the time	46.2% (±2.8)	42.2% (±2.8)	42.6% (±2.9)	40.5% (±3.7)
e. All the time	39.8% (±2.8)	43.1% (±2.8)	27.4% (±2.6)	32.5% (±3.5)

<b>151. There are things we can all do to stop the spread of certain illnesses like the flu, colds, and COVID. Please rate how often you usually: Wear a mask when you are near people you don't live with.</b>				
	(n=1,214)	(n=1,174)	(n=1,117)	(n=679)
a. Never	1.5% (±0.7)	1.7% (±0.7)	2.4% (±0.9)	1.6% (±1.0)
b. Only some of the time	5.1% (±1.2)	4.9% (±1.2)	6.5% (±1.5)	7.8% (±2.0)
c. About half of the time	9.7% (±1.7)	9.1% (±1.6)	11.0% (±1.8)	9.6% (±2.2)
d. Most of the time	32.8% (±2.6)	34.8% (±2.7)	36.7% (±2.8)	38.0% (±3.7)
e. All the time	50.9% (±2.8)	49.5% (±2.9)	43.3% (±2.9)	43.0% (±3.7)

<b>152. There are things we can all do to stop the spread of certain illnesses like the flu, colds, and COVID. Please rate how often you usually: Stay home if you feel sick.</b>				
	(n=1,207)	(n=1,170)	(n=1,111)	(n=678)
a. Never	1.2% (±0.6)	1.7% (±0.7)	2.8% (±1.0)	2.2% (±1.1)
b. Only some of the time	3.5% (±1.0)	5.2% (±1.3)	7.7% (±1.6)	7.8% (±2.0)
c. About half of the time	6.0% (±1.3)	6.8% (±1.4)	7.7% (±1.6)	6.9% (±1.9)
d. Most of the time	24.7% (±2.4)	24.8% (±2.5)	33.2% (±2.8)	30.2% (±3.5)
e. All the time	64.7% (±2.7)	61.5% (±2.8)	48.6% (±2.9)	52.8% (±3.8)

<b>153. How much are you worried right now about the following things as a result of the COVID pandemic? Your parents or guardians losing their job(s)?</b>				
	(n=1,199)	(n=1,171)	(n=1,115)	(n=680)
a. Not at all worried	57.5% (±2.8)	73.7% (±2.5)	69.6% (±2.7)	68.4% (±3.5)
b. A little worried	23.9% (±2.4)	19.2% (±2.3)	23.8% (±2.5)	22.4% (±3.1)
c. Pretty worried	10.2% (±1.7)	4.7% (±1.2)	5.5% (±1.3)	6.0% (±1.8)
d. Extremely worried	8.4% (±1.6)	2.4% (±0.9)	1.2% (±0.6)	3.2% (±1.3)

<b>154. How much are you worried right now about the following things as a result of the COVID pandemic? Your family being unable to afford rent or housing?</b>				
	(n=1,198)	(n=1,169)	(n=1,109)	(n=680)
a. Not at all worried	65.1% (±2.7)	80.6% (±2.3)	81.5% (±2.3)	80.9% (±3.0)
b. A little worried	15.7% (±2.1)	12.8% (±1.9)	12.4% (±1.9)	12.8% (±2.5)
c. Pretty worried	7.5% (±1.5)	3.5% (±1.1)	4.3% (±1.2)	2.6% (±1.2)
d. Extremely worried	11.7% (±1.8)	3.1% (±1.0)	1.7% (±0.8)	3.7% (±1.4)

155. How much are you worried right now about the following things as a result of the COVID pandemic? Not having enough food to eat?	Grade 6	Grade 8	Grade 10	Grade 12
	% (± CI) (n=1,194)	% (± CI) (n=1,168)	% (± CI) (n=1,113)	% (± CI) (n=677)
a. Not at all worried	72.5% (±2.5)	87.7% (±1.9)	89.8% (±1.8)	88.2% (±2.4)
b. A little worried	11.3% (±1.8)	8.1% (±1.6)	6.9% (±1.5)	7.1% (±1.9)
c. Pretty worried	5.4% (±1.3)	1.5% (±0.7)	2.2% (±0.9)	2.5% (±1.2)
d. Extremely worried	10.7% (±1.8)	2.7% (±0.9)	1.1% (±0.6)	2.2% (±1.1)

## Gambling

156. "Gambling" means betting money or possessions either in person or online, including video poker, phone apps, e-sports, etc. In the past 12 months, has YOUR gambling ever caused you problems at home, school or with your friends?

	(n=0)	(n=1,174)	(n=1,119)	(n=681)
a. No, I have not gambled.	**	93.8% (±1.4)	91.2% (±1.7)	89.4% (±2.3)
b. No, I have gambled but it has not caused problems.	**	5.7% (±1.3)	8.2% (±1.6)	9.7% (±2.2)
c. Yes, I have gambled and it has caused problems.	**	0.5% (±0.4)	0.6% (±0.5)	0.9% (±0.7)

## School Climate

In the past few years Washington State has given increased attention to supportive learning environments. Students need a safe, nurturing, healthy, and civil learning environment if they are to be successful in school. This section provides information about student perceptions of school climate.

157. "Bullying" is when one or more students threaten, spread rumors about, hit, shove, or otherwise hurt another student over and over again. It is not bullying when two students of about the same strength or power argue or fight or tease each other in a friendly way. In the last 30 days, how often have you been bullied?

	(n=1,251)	(n=1,177)	(n=1,116)	(n=680)
a. I have not been bullied.	78.7% (±2.3)	89.5% (±1.8)	90.4% (±1.7)	88.8% (±2.4)
b. Once	11.3% (±1.8)	5.8% (±1.3)	5.1% (±1.3)	5.3% (±1.7)
c. 2 - 3 times	6.2% (±1.3)	2.7% (±0.9)	3.0% (±1.0)	4.0% (±1.5)
d. About once a week	2.0% (±0.8)	0.8% (±0.5)	0.7% (±0.5)	1.2% (±0.8)
e. Several times a week	1.9% (±0.8)	1.3% (±0.6)	0.8% (±0.5)	0.7% (±0.6)

158. In the past 30 days, how often were you bullied, harassed, or intimidated: Because of your race, ethnicity, or national origin or what someone thought it was?

	(n=0)	(n=581)	(n=602)	(n=337)
a. 0 times	**	94.3% (±1.9)	92.4% (±2.1)	92.9% (±2.8)
b. 1 time	**	3.8% (±1.6)	4.7% (±1.7)	3.9% (±2.1)
c. 2 - 3 times	**	1.2% (±0.9)	1.7% (±1.0)	2.4% (±1.6)
d. About once a week	**	0.0% (±0.0)	0.8% (±0.7)	0.0% (±0.0)
e. Several times a week or more	**	0.7% (±0.7)	0.5% (±0.6)	0.9% (±1.0)

159. In the past 30 days, how often were you bullied, harassed, or intimidated: Because someone thought you were gay, lesbian, or bisexual (whether you are or are not)?

	(n=0)	(n=578)	(n=600)	(n=336)
a. 0 times	**	91.2% (±2.3)	94.2% (±1.9)	93.2% (±2.7)
b. 1 time	**	3.8% (±1.6)	2.8% (±1.3)	3.9% (±2.1)
c. 2 - 3 times	**	2.8% (±1.3)	1.5% (±1.0)	2.1% (±1.5)
d. About once a week	**	1.0% (±0.8)	0.8% (±0.7)	0.3% (±0.6)
e. Several times a week or more	**	1.2% (±0.9)	0.7% (±0.7)	0.6% (±0.8)

	Grade 6	Grade 8	Grade 10	Grade 12
<b>160. During the past 30 days, on how many days did you not go to school because you felt you would be unsafe on your way to and from school?</b>	% (± CI) (n=0)	% (± CI) (n=587)	% (± CI) (n=610)	% (± CI) (n=335)
a. 0 days	**	95.2% (±1.7)	94.9% (±1.7)	92.8% (±2.8)
b. 1 day	**	1.7% (±1.0)	3.3% (±1.4)	5.1% (±2.4)
c. 2 or 3 days	**	1.7% (±1.0)	1.3% (±0.9)	1.5% (±1.3)
d. 4 or 5 days	**	0.5% (±0.6)	0.2% (±0.3)	0.0% (±0.0)
e. 6 or more days	**	0.7% (±0.7)	0.2% (±0.3)	0.6% (±0.8)
f. I did not travel to school in the past 30 days.	**	0.2% (±0.3)	0.2% (±0.3)	0.0% (±0.0)
<b>161. During the past 30 days, on how many days did you not participate in school activities because you felt unsafe?</b>	(n=0)	(n=582)	(n=606)	(n=335)
a. 0 days	**	94.8% (±1.8)	93.7% (±1.9)	90.7% (±3.1)
b. 1 day	**	3.4% (±1.5)	4.6% (±1.7)	5.1% (±2.4)
c. 2 or 3 days	**	0.5% (±0.6)	0.8% (±0.7)	2.4% (±1.6)
d. 4 or 5 days	**	0.3% (±0.5)	0.5% (±0.6)	1.2% (±1.2)
e. 6 or more days	**	0.9% (±0.8)	0.3% (±0.5)	0.6% (±0.8)
<b>162. In the past 30 days, how often have you been bullied by someone using social media, a phone, or video games?</b>	(n=0)	(n=579)	(n=601)	(n=336)
a. I have not been bullied.	**	91.0% (±2.3)	91.0% (±2.3)	88.1% (±3.5)
b. Once	**	3.6% (±1.5)	4.2% (±1.6)	4.8% (±2.3)
c. 2 - 3 times	**	2.6% (±1.3)	3.2% (±1.4)	3.9% (±2.1)
d. About once a week	**	1.2% (±0.9)	0.2% (±0.3)	1.8% (±1.4)
e. Several times a week	**	1.6% (±1.0)	1.5% (±1.0)	1.5% (±1.3)
<b>163. During the past 30 days, have you received sexually suggestive or revealing messages, images, photos or videos via text, app, or social media?</b>	(n=0)	(n=581)	(n=601)	(n=336)
a. Yes	**	10.2% (±2.5)	18.3% (±3.1)	19.0% (±4.2)
b. No	**	89.8% (±2.5)	81.7% (±3.1)	81.0% (±4.2)
<b>164. When a student is being bullied, how often do teachers or other adults at school try to put a stop to it?</b>	(n=0)	(n=569)	(n=582)	(n=333)
a. Almost always	**	29.9% (±3.8)	13.7% (±2.8)	14.1% (±3.8)
b. Often	**	27.9% (±3.7)	21.0% (±3.3)	24.9% (±4.7)
c. Sometimes	**	20.6% (±3.3)	27.5% (±3.6)	25.5% (±4.7)
d. Once in a while	**	10.4% (±2.5)	22.5% (±3.4)	22.8% (±4.5)
e. Almost never	**	11.2% (±2.6)	15.3% (±2.9)	12.6% (±3.6)
<b>165. If you see bullying or have been bullied during school do you know how to report it?</b>	(n=0)	(n=582)	(n=602)	(n=334)
a. Yes	**	81.3% (±3.2)	69.6% (±3.7)	71.3% (±4.9)
b. No	**	7.6% (±2.2)	12.3% (±2.6)	13.5% (±3.7)
c. Not sure	**	11.2% (±2.6)	18.1% (±3.1)	15.3% (±3.9)
<b>166. Does your school provide a counselor, intervention specialist, or other school staff member for students to discuss problems with alcohol, tobacco, or other drugs?</b>	(n=0)	(n=584)	(n=507)	(n=343)
a. No	**	3.4% (±1.5)	4.7% (±1.9)	8.2% (±2.9)
b. Yes	**	63.7% (±3.9)	60.9% (±4.3)	64.4% (±5.1)
c. Not sure	**	32.9% (±3.8)	34.3% (±4.1)	27.4% (±4.7)

	Grade 6	Grade 8	Grade 10	Grade 12
<b>167. In the last year, did you have any contact with a school counselor?</b>	% (± CI) (n=0)	% (± CI) (n=582)	% (± CI) (n=604)	% (± CI) (n=330)
a. Yes	**	35.6% (±3.9)	51.3% (±4.0)	74.8% (±4.7)
b. No	**	63.6% (±3.9)	48.2% (±4.0)	24.5% (±4.7)
c. I do not have a school counselor	**	0.9% (±0.8)	0.5% (±0.6)	0.6% (±0.8)
<b>168. There are people from my school who will help me if I need it?</b>	(n=0)	(n=583)	(n=604)	(n=331)
a. Yes	**	82.3% (±3.1)	77.2% (±3.4)	79.2% (±4.4)
b. No	**	4.3% (±1.6)	7.0% (±2.0)	8.5% (±3.0)
c. Not sure	**	13.4% (±2.8)	15.9% (±2.9)	12.4% (±3.6)
<b>169. Last year in school, were you taught about abstinence (not having sex) to prevent sexually transmitted diseases (STDs) and pregnancy?</b>	(n=0)	(n=579)	(n=598)	(n=332)
a. Yes	**	63.0% (±3.9)	45.5% (±4.0)	43.1% (±5.4)
b. No	**	18.1% (±3.1)	40.6% (±3.9)	45.8% (±5.4)
c. Not sure	**	18.8% (±3.2)	13.9% (±2.8)	11.1% (±3.4)
<b>170. Last year in school, were you taught about ways other than abstinence to prevent sexually transmitted diseases (STDs) and pregnancy?</b>	(n=0)	(n=578)	(n=598)	(n=332)
a. Yes	**	62.8% (±4.0)	46.2% (±4.0)	45.8% (±5.4)
b. No	**	17.0% (±3.1)	39.1% (±3.9)	42.2% (±5.3)
c. Not sure	**	20.2% (±3.3)	14.7% (±2.8)	12.0% (±3.5)
<b>171. Last year in school, were you taught about consent and healthy relationships?</b>	(n=0)	(n=578)	(n=599)	(n=332)
a. Yes	**	72.5% (±3.7)	59.1% (±3.9)	57.5% (±5.3)
b. No	**	11.2% (±2.6)	30.4% (±3.7)	31.3% (±5.0)
c. Not sure	**	16.3% (±3.0)	10.5% (±2.5)	11.1% (±3.4)
<b>172. I know how to disagree without starting a fight or argument.</b>	(n=0)	(n=573)	(n=597)	(n=332)
a. Strongly agree	**	28.8% (±3.7)	33.3% (±3.8)	33.4% (±5.1)
b. Agree	**	61.4% (±4.0)	59.5% (±3.9)	56.6% (±5.4)
c. Disagree	**	7.0% (±2.1)	5.7% (±1.9)	8.4% (±3.0)
d. Strongly disagree	**	2.8% (±1.4)	1.5% (±1.0)	1.5% (±1.3)

## Children's Hope Scale

Hope reflects a future orientated mindset and motivational process by which an individual has an expectation toward attaining a desirable goal. Research has linked hope with overall physical, psychological, and social well-being. This section introduces the Children's Hope Scale, an assessment of agency (ability to initiate and sustain action towards goals) and pathways (capacity to find a means to carry out goals).

<b>173. Children's Hope Scale (Computed from questions 174 to 177)</b>	(n=1,241)	(n=1,149)	(n=1,083)	(n=666)
no or very low hope	2.0% (±0.8)	4.2% (±1.2)	4.0% (±1.2)	3.3% (±1.4)
slightly hopeful	11.0% (±1.7)	12.4% (±1.9)	16.5% (±2.2)	16.4% (±2.8)
moderately hopeful	28.0% (±2.5)	23.2% (±2.4)	29.7% (±2.7)	28.8% (±3.4)
highly hopeful	59.0% (±2.7)	60.3% (±2.8)	49.8% (±3.0)	51.5% (±3.8)

	Grade 6	Grade 8	Grade 10	Grade 12
	% (± CI) (n=1,268)	% (± CI) (n=1,169)	% (± CI) (n=1,088)	% (± CI) (n=669)
<b>174. I can think of many ways to get the things in life that are most important to me.</b>				
a. None of the time	1.4% (±0.7)	1.9% (±0.8)	1.2% (±0.6)	1.2% (±0.8)
b. A little of the time	6.4% (±1.3)	8.3% (±1.6)	7.6% (±1.6)	7.2% (±2.0)
c. Some of the time	26.3% (±2.4)	21.8% (±2.4)	27.2% (±2.6)	24.1% (±3.2)
d. A lot of the time	21.2% (±2.3)	18.0% (±2.2)	23.9% (±2.5)	25.4% (±3.3)
e. Most of the time	31.8% (±2.6)	30.8% (±2.7)	26.5% (±2.6)	28.3% (±3.4)
f. All of the time	12.9% (±1.8)	19.2% (±2.3)	13.6% (±2.0)	13.9% (±2.6)
<b>175. I am doing just as well as other kids my age.</b>	(n=1,279)	(n=1,168)	(n=1,097)	(n=673)
a. None of the time	1.3% (±0.6)	3.2% (±1.0)	2.9% (±1.0)	3.4% (±1.4)
b. A little of the time	5.4% (±1.2)	6.6% (±1.4)	8.8% (±1.7)	10.4% (±2.3)
c. Some of the time	11.3% (±1.7)	12.0% (±1.9)	22.3% (±2.5)	23.6% (±3.2)
d. A lot of the time	15.2% (±2.0)	16.1% (±2.1)	18.3% (±2.3)	18.7% (±3.0)
e. Most of the time	35.9% (±2.6)	30.7% (±2.6)	31.4% (±2.7)	29.1% (±3.4)
f. All of the time	31.0% (±2.5)	31.4% (±2.7)	16.2% (±2.2)	14.7% (±2.7)
<b>176. When I have a problem, I can come up with lots of ways to solve it.</b>	(n=1,277)	(n=1,161)	(n=1,094)	(n=672)
a. None of the time	2.3% (±0.8)	1.8% (±0.8)	2.0% (±0.8)	1.3% (±0.9)
b. A little of the time	9.1% (±1.6)	8.4% (±1.6)	8.9% (±1.7)	5.5% (±1.7)
c. Some of the time	24.8% (±2.4)	18.3% (±2.2)	21.4% (±2.4)	23.4% (±3.2)
d. A lot of the time	22.1% (±2.3)	20.7% (±2.3)	24.3% (±2.5)	27.2% (±3.4)
e. Most of the time	29.6% (±2.5)	31.8% (±2.7)	29.3% (±2.7)	28.3% (±3.4)
f. All of the time	12.1% (±1.8)	18.9% (±2.3)	14.2% (±2.1)	14.3% (±2.7)
<b>177. I think the things I have done in the past will help me in the future.</b>	(n=1,282)	(n=1,165)	(n=1,092)	(n=671)
a. None of the time	3.3% (±1.0)	3.9% (±1.1)	3.1% (±1.0)	2.7% (±1.2)
b. A little of the time	8.3% (±1.5)	8.9% (±1.6)	9.5% (±1.7)	7.3% (±2.0)
c. Some of the time	20.0% (±2.2)	20.6% (±2.3)	25.9% (±2.6)	22.5% (±3.2)
d. A lot of the time	17.4% (±2.1)	14.2% (±2.0)	20.5% (±2.4)	22.1% (±3.1)
e. Most of the time	29.3% (±2.5)	30.7% (±2.7)	25.3% (±2.6)	27.3% (±3.4)
f. All of the time	21.7% (±2.3)	21.5% (±2.4)	15.7% (±2.2)	18.2% (±2.9)

### Washington Healthy Youth Survey – Adverse Childhood Experiences Scale (WAH-ACEs)

Eleven questions from the HYS were selected to be included in the WAH-ACEs score based on review of public health, social work, and psychology literature on adverse experiences among children, youth and young adults and the association with short and long-term effects on their health and wellbeing. These questions addressed the topics identified in the literature review, including intimate partner violence, physical or sexual abuse by an adult, safety in school, bullying, and financial hardship, among other topics. Some adverse experiences identified in the literature were not captured in HYS questions and could therefore not be included in WAH-ACEs (e.g., neglect).

For each question, a student could get a value of 0 or 1 and these were added up to create their final score. Sometimes students did not answer all questions on the survey; the WAH-ACEs score accounts for any missing answers to give schools and districts a more precise picture of what their students are experiencing. For more information about the WAH-ACEs, please see [WAH-ACEs Interpretive Guide](#).

	Grade 6	Grade 8	Grade 10	Grade 12
<b>178. Adverse Childhood Experiences Scale (WAH-ACEs)</b>	% (± CI) (n=0)	% (± CI) (n=633)	% (± CI) (n=651)	% (± CI) (n=364)
0 ACEs	**	55.0% (±3.9)	47.5% (±3.8)	41.2% (±5.1)
1 ACEs	**	23.4% (±3.3)	23.8% (±3.3)	26.4% (±4.5)
2 ACEs	**	10.0% (±2.3)	13.1% (±2.6)	15.1% (±3.7)
3 ACEs	**	6.3% (±1.9)	7.2% (±2.0)	6.0% (±2.5)
4 or more ACEs	**	5.4% (±1.8)	8.4% (±2.1)	11.3% (±3.3)



## Risk and Protective Factors

Decades of research have shown that certain risk factors are associated with increased likelihood of health risk behaviors including ATOD use, violence, and delinquent behaviors. Similarly, research from Drs. Hawkins and Catalano and associates at the University of Washington, has shown that protective factors exert a positive influence against the negative influence of risk factors. The premise of the risk reduction and protective factor enhancement approach to prevention is that preventing a problem before it occurs requires addressing the factors that predict the problem. Ideally, this strategy entails discovering the causes of the problem behavior and influencing those causes. Many of the survey questions were used to assess students' status on risk and protective factors in the community, school, and peer-individual domains. Composite scales were computed for use in local program planning.

## Risk and Protective Factor Framework and Reporting Schedule

This table provides a list of risk and protective factors included in the Healthy Youth Survey by year.

	2008	2010	2012	2014	2016	2018	2021
<b>Community Risk Factors</b>							
Low Neighborhood Attachment	X <sup>S</sup>	X <sup>S</sup>					X <sup>S</sup>
Perceived Availability of Drugs	X	X	X	X	X	X	X
Perceived Availability of Handguns	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>			X <sup>S</sup>	X <sup>S</sup>
Laws And Norms Favorable to Drug Use	X	X	X	X	X	X	X <sup>E</sup>
<b>Community Protective Factors</b>							
Opportunities for Prosocial Involvement	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>
Rewards for Prosocial Involvement	X	X <sup>E</sup>	X <sup>E</sup>	X <sup>E</sup>	X <sup>E</sup>	X <sup>E</sup>	X <sup>E</sup>
<b>Family Risk Factors</b>							
Poor Family Management	X <sup>S,†</sup>	X <sup>S,†</sup>	X <sup>S,†</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>
Parental Attitudes Favorable towards Drug Use	X <sup>S,†</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>
<b>Family Protective Factors</b>							
Opportunities for Prosocial Involvement	X <sup>†</sup>	X <sup>†</sup>	X <sup>†</sup>	X	X	X	X
Rewards for Prosocial Involvement	X <sup>†</sup>	X <sup>†</sup>	X <sup>†</sup>	X <sup>E</sup>	X <sup>E</sup>	X <sup>E</sup>	X <sup>E</sup>
<b>School Risk Factors</b>							
Academic Failure	X	X	X	X	X	X	X
Low Commitment to School	X	X	X	X	X	X	X
<b>School Protective Factors</b>							
Opportunities for Prosocial Involvement	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>
Rewards for Prosocial Involvement	X	X	X	X	X	X	X
<b>Peer-Individual Risk Factors</b>							
Perceived Risk of Drug Use	X	X	X	X	X	X	X
Early Initiation of Drug Use	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>
Early Initiation of Antisocial Behavior	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>				
Favorable Attitudes Towards Drug Use	X	X	X	X	X	X	X
Favorable Attitudes Towards Antisocial Behavior	X <sup>S</sup>	X <sup>S</sup>					
Rewards for Antisocial Involvement	X <sup>S</sup>						
Friends' Use of Drugs	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>
Interaction With Antisocial Peers	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>				
Intentions to Use	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>				
<b>Peer-Individual Protective Factors</b>							
Interaction With Prosocial Peers	X	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>		
Belief in the Moral Order	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>		
Prosocial Involvement	X <sup>E</sup>	X <sup>E</sup>	X <sup>E</sup>	X <sup>E</sup>	X <sup>E</sup>		
Social Skills	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	

Note: X<sup>S</sup> = included only on the secondary version; X<sup>E</sup> = included only on the elementary version; X<sup>†</sup> = removable questions.

## Risk and Protective Factor Scale Results and Graphs

For each risk factor scale, the percentage of students who are at risk (i.e., who agreed with statements that predict ATOD use or other problem behaviors) is reported; higher percentages indicate that more students are likely to engage in problem behaviors. For each protective factor scale, the percentage of students who are resilient (i.e., who agreed with statements that predict the ability to resist ATOD use or other problem behaviors) is reported; higher percentages indicate that fewer students are likely to engage in problem behaviors. These percentages are based on computational methods provided by the University of Washington's Social Development Research Group.



### Community Domain

#### Risk Factors

	Grade 6 % ( $\pm$ CI)	Grade 8 % ( $\pm$ CI)	Grade 10 % ( $\pm$ CI)	Grade 12 % ( $\pm$ CI)
Perceived Availability of Drugs (Questions 179-182)	(n=1,232) 12.3% ( $\pm$ 1.8)	(n=578) 4.5% ( $\pm$ 1.7)	(n=505) 8.7% ( $\pm$ 2.5)	(n=336) 10.7% ( $\pm$ 3.3)
Perceived Availability of Handguns (Question 183)	NA <sup>S</sup>	(n=576) 15.6% ( $\pm$ 3.0)	(n=504) 7.3% ( $\pm$ 2.3)	(n=337) 7.4% ( $\pm$ 2.8)
Laws And Norms Favorable to Drug Use (Questions 184-189)	(n=1,280) 29.1% ( $\pm$ 2.5)	NA <sup>E</sup>	NA <sup>E</sup>	NA <sup>E</sup>
Low Neighborhood Attachment (Questions 190-192)	NA <sup>S</sup>	(n=588) 18.7% ( $\pm$ 3.2)	(n=512) 29.5% ( $\pm$ 4.0)	(n=340) 41.8% ( $\pm$ 5.3)

#### Protective Factors

Opportunities for Prosocial Involvement (Questions 193-196)	NA <sup>S</sup>	(n=550) 74.2% ( $\pm$ 3.7)	(n=498) 75.7% ( $\pm$ 3.8)	(n=334) 79.3% ( $\pm$ 4.4)
Rewards for Prosocial Involvement (Questions 197-199)	(n=1,244) 42.3% ( $\pm$ 2.7)	NA <sup>E</sup>	NA <sup>E</sup>	NA <sup>E</sup>



#### Community Protective Factors


Note: NA<sup>S</sup> = included only on the secondary version; NA<sup>E</sup> = included only on the elementary version.

**Family Domain****Risk Factors**

	<b>Grade 6</b> % (±OI)	<b>Grade 8</b> % (±OI)	<b>Grade 10</b> % (±OI)	<b>Grade 12</b> % (±OI)
Poor Family Management (Questions 200-207)	NA <sup>S</sup>	(n=592) 21.5% (±3.3)	(n=512) 20.1% (±3.5)	(n=343) 18.4% (±4.1)
Parental Attitudes Favorable Towards Drug Use (Questions 215-217)	NA <sup>S</sup>	(n=579) 19.2% (±3.2)	(n=502) 37.8% (±4.3)	(n=342) 39.5% (±5.2)

**Protective Factors**

Opportunities for Prosocial Involvement (Questions 208-210)	(n=1,213) 60.8% (±2.8)	(n=593) 75.7% (±3.5)	(n=513) 66.5% (±4.1)	(n=347) 71.2% (±4.8)
Rewards for Prosocial Involvement (Questions 211-214)	(n=1,203) 59.4% (±2.8)	NA <sup>E</sup>	NA <sup>E</sup>	NA <sup>E</sup>




**School Domain****Risk Factors**

	<b>Grade 6</b> % (±OI)	<b>Grade 8</b> % (±OI)	<b>Grade 10</b> % (±OI)	<b>Grade 12</b> % (±OI)
Academic Failure (Questions 218–219)	(n=1,168) 34.3% (±2.7)	(n=553) 36.3% (±4.0)	(n=498) 40.2% (±4.3)	(n=335) 34.9% (±5.1)
Low Commitment to School (Questions 220–226)	(n=1,315) 47.3% (±2.7)	(n=590) 45.1% (±4.0)	(n=515) 54.8% (±4.3)	(n=343) 49.0% (±5.3)


**Protective Factors**

Opportunities for Prosocial Involvement (Questions 227–231)	NA <sup>s</sup>	(n=581) 75.7% (±3.5)	(n=505) 66.3% (±4.1)	(n=344) 72.4% (±4.7)
Rewards for Prosocial Involvement (Questions 232–235)	(n=1,279) 42.1% (±2.7)	(n=572) 61.7% (±4.0)	(n=506) 57.1% (±4.3)	(n=341) 51.0% (±5.3)



**Peer-Individual Domain****Risk Factors**

	<b>Grade 6</b> % ( $\pm$ CI)	<b>Grade 8</b> % ( $\pm$ CI)	<b>Grade 10</b> % ( $\pm$ CI)	<b>Grade 12</b> % ( $\pm$ CI)
Perceived Risk of Drug Use (Questions 236–239)	(n=1,094) 26.9% ( $\pm$ 2.6)	(n=558) 25.8% ( $\pm$ 3.6)	(n=490) 24.3% ( $\pm$ 3.8)	(n=334) 36.5% ( $\pm$ 5.2)
Early Initiation of Drug Use (Questions 240–242)	NA <sup>s</sup>	(n=586) 10.1% ( $\pm$ 2.4)	(n=511) 4.5% ( $\pm$ 1.8)	(n=336) 9.8% ( $\pm$ 3.2)
Favorable Attitudes Towards Drug Use (Questions 243–246)	(n=1,232) 14.0% ( $\pm$ 1.9)	(n=601) 13.1% ( $\pm$ 2.7)	(n=505) 28.3% ( $\pm$ 3.9)	(n=341) 35.2% ( $\pm$ 5.1)
Friends' Use of Drugs (Questions 247–250)	NA <sup>s</sup>	(n=591) 3.7% ( $\pm$ 1.5)	(n=512) 9.4% ( $\pm$ 2.5)	(n=351) 17.1% ( $\pm$ 4.0)



## Risk and Protective Factors: Individual Question Results

The remainder of the report provides results for the individual survey questions used to compute the risk and protective factors.

### Community Domain

#### Perceived Availability of Drugs (Questions 179-182)

	Grade 6	Grade 8	Grade 10	Grade 12
	% (± CI) (n=1,235)	% (± CI) (n=579)	% (± CI) (n=508)	% (± CI) (n=336)
<b>179. If you wanted to get some beer, wine, or hard liquor, how easy would it be for you to get some?</b>				
a. Very hard	71.8% (±2.5)	56.3% (±4.1)	29.3% (±4.0)	23.2% (±4.5)
b. Sort of hard	17.2% (±2.1)	21.8% (±3.4)	31.7% (±4.1)	28.6% (±4.9)
c. Sort of easy	7.5% (±1.5)	15.2% (±2.9)	25.2% (±3.8)	26.5% (±4.7)
d. Very easy	3.4% (±1.0)	6.7% (±2.0)	13.8% (±3.0)	21.7% (±4.4)
<b>180. If you wanted to get some cigarettes, how easy would it be for you to get some?</b>				
	(n=1,234)	(n=577)	(n=506)	(n=335)
a. Very hard	83.9% (±2.1)	72.4% (±3.7)	53.0% (±4.4)	40.0% (±5.3)
b. Sort of hard	10.7% (±1.7)	19.1% (±3.2)	32.0% (±4.1)	31.0% (±5.0)
c. Sort of easy	4.3% (±1.1)	6.8% (±2.1)	11.1% (±2.7)	19.4% (±4.3)
d. Very easy	1.1% (±0.6)	1.7% (±1.1)	4.0% (±1.7)	9.6% (±3.2)
<b>181. If you wanted to get some marijuana, how easy would it be for you to get some?</b>				
	(n=1,229)	(n=576)	(n=503)	(n=335)
a. Very hard	90.8% (±1.6)	86.8% (±2.8)	55.7% (±4.4)	34.6% (±5.1)
b. Sort of hard	6.7% (±1.4)	8.0% (±2.2)	21.1% (±3.6)	29.6% (±4.9)
c. Sort of easy	2.0% (±0.8)	4.0% (±1.6)	14.9% (±3.1)	21.2% (±4.4)
d. Very easy	0.6% (±0.4)	1.2% (±0.9)	8.3% (±2.4)	14.6% (±3.8)
<b>182. If you wanted to get a drug like cocaine, LSD, or amphetamines, how easy would it be for you to get some?</b>				
	(n=1,227)	(n=576)	(n=504)	(n=336)
a. Very hard	93.5% (±1.4)	93.8% (±2.0)	77.4% (±3.7)	65.8% (±5.1)
b. Sort of hard	5.0% (±1.2)	5.0% (±1.8)	15.9% (±3.2)	22.6% (±4.5)
c. Sort of easy	1.0% (±0.6)	1.0% (±0.8)	4.8% (±1.9)	6.5% (±2.7)
d. Very easy	0.6% (±0.4)	0.2% (±0.3)	2.0% (±1.2)	5.1% (±2.4)

#### Perceived Availability of Hand Guns (Question 183)

<b>183. If you wanted to get a handgun, how easy would it be for you to get one?</b>				
	(n=0)	(n=576)	(n=504)	(n=337)
a. Very hard	**	84.4% (±3.0)	76.4% (±3.7)	73.3% (±4.7)
b. Sort of hard	**	10.2% (±2.5)	16.3% (±3.2)	19.3% (±4.2)
c. Sort of easy	**	3.5% (±1.5)	5.6% (±2.0)	5.9% (±2.5)
d. Very easy	**	1.9% (±1.1)	1.8% (±1.2)	1.5% (±1.3)

### Laws and Norms Favorable to Drug Use (Questions 184-189)

	Grade 6	Grade 8	Grade 10	Grade 12
<b>184. How wrong would most adults in your neighborhood or community think it was for kids your age: To use marijuana?</b>	% (± CI) (n=1,263)	% (± CI) (n=0)	% (± CI) (n=0)	% (± CI) (n=0)
a. Very wrong	88.3% (±1.8)	**	**	**
b. Wrong	8.9% (±1.6)	**	**	**
c. A little bit wrong	2.0% (±0.8)	**	**	**
d. Not wrong at all	0.9% (±0.5)	**	**	**
<b>185. How wrong would most adults in your neighborhood or community think it was for kids your age: To drink alcohol?</b>	(n=1,268)	(n=0)	(n=0)	(n=0)
a. Very wrong	81.8% (±2.1)	**	**	**
b. Wrong	12.0% (±1.8)	**	**	**
c. A little bit wrong	4.7% (±1.2)	**	**	**
d. Not wrong at all	1.5% (±0.7)	**	**	**
<b>186. How wrong would most adults in your neighborhood or community think it was for kids your age: To smoke cigarettes?</b>	(n=1,266)	(n=0)	(n=0)	(n=0)
a. Very wrong	89.1% (±1.7)	**	**	**
b. Wrong	8.9% (±1.6)	**	**	**
c. A little bit wrong	1.6% (±0.7)	**	**	**
d. Not wrong at all	0.4% (±0.3)	**	**	**
<b>187. If a kid drank some beer, wine, or hard liquor in your neighborhood or community, would they be caught by the police?</b>	(n=1,232)	(n=572)	(n=508)	(n=338)
a. NO!	6.7% (±1.4)	7.7% (±2.2)	12.0% (±2.8)	21.9% (±4.4)
b. No	27.8% (±2.5)	31.1% (±3.8)	57.7% (±4.3)	53.6% (±5.3)
c. yes	37.8% (±2.7)	42.3% (±4.1)	24.0% (±3.7)	19.5% (±4.2)
d. YES!	27.6% (±2.5)	18.9% (±3.2)	6.3% (±2.1)	5.0% (±2.3)
<b>188. If a kid carried a handgun in your neighborhood or community, would they be caught by the police?</b>	(n=1,225)	(n=567)	(n=506)	(n=338)
a. NO!	6.0% (±1.3)	5.8% (±1.9)	5.3% (±2.0)	10.4% (±3.3)
b. No	9.3% (±1.6)	13.4% (±2.8)	27.5% (±3.9)	28.7% (±4.8)
c. yes	29.2% (±2.6)	38.4% (±4.0)	43.9% (±4.3)	40.5% (±5.3)
d. YES!	55.4% (±2.8)	42.3% (±4.1)	23.3% (±3.7)	20.4% (±4.3)
<b>189. If a kid used marijuana in your neighborhood or community, would they be caught by the police?</b>	(n=1,217)	(n=571)	(n=507)	(n=338)
a. NO!	6.2% (±1.4)	7.9% (±2.2)	12.0% (±2.8)	19.8% (±4.3)
b. No	20.1% (±2.3)	25.0% (±3.6)	52.5% (±4.4)	54.4% (±5.3)
c. yes	41.7% (±2.8)	40.5% (±4.0)	27.6% (±3.9)	19.8% (±4.3)
d. YES!	31.9% (±2.6)	26.6% (±3.6)	7.9% (±2.4)	5.9% (±2.5)

### Low Neighborhood Attachment (Questions 190-192)

	Grade 6	Grade 8	Grade 10	Grade 12
	% (± CI) (n=0)	% (± CI) (n=585)	% (± CI) (n=510)	% (± CI) (n=340)
<b>190. I'd like to get out of my neighborhood or community.</b>				
a. NO!	**	45.5% (±4.0)	31.6% (±4.0)	21.2% (±4.4)
b. No	**	43.2% (±4.0)	46.9% (±4.3)	42.9% (±5.3)
c. yes	**	8.7% (±2.3)	16.3% (±3.2)	24.7% (±4.6)
d. YES!	**	2.6% (±1.3)	5.3% (±1.9)	11.2% (±3.4)
<b>191. If I had to move, I would miss the neighborhood or community I now live in.</b>	(n=0)	(n=587)	(n=514)	(n=340)
a. NO!	**	2.7% (±1.3)	4.3% (±1.8)	5.0% (±2.3)
b. No	**	12.3% (±2.7)	16.9% (±3.3)	18.8% (±4.2)
c. yes	**	39.7% (±4.0)	45.7% (±4.3)	48.5% (±5.3)
d. YES!	**	45.3% (±4.0)	33.1% (±4.1)	27.6% (±4.8)
<b>192. I like my neighborhood / community.</b>	(n=0)	(n=590)	(n=511)	(n=340)
a. NO!	**	0.8% (±0.7)	1.4% (±1.0)	3.2% (±1.9)
b. No	**	4.1% (±1.6)	9.2% (±2.5)	8.2% (±2.9)
c. yes	**	49.8% (±4.0)	56.4% (±4.3)	62.1% (±5.2)
d. YES!	**	45.3% (±4.0)	33.1% (±4.1)	26.5% (±4.7)

### Opportunities for Prosocial Involvement (Questions 193-196)

<b>193. There are adults in my neighborhood or community I could talk to about something important.</b>	(n=0)	(n=583)	(n=513)	(n=339)
a. NO!	**	5.1% (±1.8)	6.8% (±2.2)	6.8% (±2.7)
b. No	**	15.4% (±2.9)	17.5% (±3.3)	14.7% (±3.8)
c. yes	**	37.4% (±3.9)	46.8% (±4.3)	44.8% (±5.3)
d. YES!	**	42.0% (±4.0)	28.8% (±3.9)	33.6% (±5.1)

**Which of the following activities for people your age are available in your neighborhood or community?**

<b>194. Sports teams and recreation</b>	(n=0)	(n=573)	(n=513)	(n=338)
a. Yes	**	86.4% (±2.8)	86.5% (±3.0)	88.8% (±3.4)
b. No	**	13.6% (±2.8)	13.5% (±3.0)	11.2% (±3.4)
<b>195. Scouts, Camp Fire, 4-H Clubs, or other service clubs</b>	(n=0)	(n=560)	(n=502)	(n=335)
a. Yes	**	68.6% (±3.9)	70.7% (±4.0)	77.9% (±4.5)
b. No	**	31.4% (±3.9)	29.3% (±4.0)	22.1% (±4.5)
<b>196. Boys and Girls Club, YMCA, or other activity clubs</b>	(n=0)	(n=564)	(n=501)	(n=336)
a. Yes	**	76.1% (±3.5)	79.4% (±3.6)	83.0% (±4.0)
b. No	**	23.9% (±3.5)	20.6% (±3.6)	17.0% (±4.0)



**Rewards for Prosocial Involvement (Questions 197-199)**

	Grade 6	Grade 8	Grade 10	Grade 12
	% (± CI) (n=1,247)	% (± CI) (n=0)	% (± CI) (n=0)	% (± CI) (n=0)
<b>197. My neighbors notice when I am doing a good job and let me know.</b>				
a. NO!	33.2% (±2.6)	**	**	**
b. No	41.9% (±2.7)	**	**	**
c. yes	20.4% (±2.2)	**	**	**
d. YES!	4.5% (±1.2)	**	**	**
<b>198. There are people in my neighborhood or community who encourage me to do my best.</b>	(n=1,247)	(n=0)	(n=0)	(n=0)
a. NO!	18.5% (±2.2)	**	**	**
b. No	27.6% (±2.5)	**	**	**
c. yes	39.6% (±2.7)	**	**	**
d. YES!	14.3% (±1.9)	**	**	**
<b>199. There are people in my neighborhood or community who are proud of me when I do something well.</b>	(n=1,233)	(n=0)	(n=0)	(n=0)
a. NO!	19.5% (±2.2)	**	**	**
b. No	29.7% (±2.6)	**	**	**
c. yes	39.8% (±2.7)	**	**	**
d. YES!	10.9% (±1.7)	**	**	**

**Family Domain****Poor Family Management (Questions 200-207)**

<b>200. My parent(s) ask if I've gotten my homework done.</b>	(n=0)	(n=596)	(n=520)	(n=347)
a. NO!	**	1.7% (±1.0)	3.1% (±1.5)	6.3% (±2.6)
b. No	**	5.2% (±1.8)	11.2% (±2.7)	12.4% (±3.5)
c. yes	**	38.3% (±3.9)	42.7% (±4.3)	46.7% (±5.3)
d. YES!	**	54.9% (±4.0)	43.1% (±4.3)	34.6% (±5.0)
<b>201. Would your parent(s) know if you did not come home on time?</b>	(n=0)	(n=594)	(n=514)	(n=342)
a. NO!	**	1.2% (±0.9)	1.2% (±0.9)	1.8% (±1.4)
b. No	**	3.7% (±1.5)	8.2% (±2.4)	9.9% (±3.2)
c. yes	**	36.7% (±3.9)	46.9% (±4.3)	50.3% (±5.3)
d. YES!	**	58.4% (±4.0)	43.8% (±4.3)	38.0% (±5.2)
<b>202. When I am not at home, one of my parent(s) knows where I am and who I am with.</b>	(n=0)	(n=595)	(n=519)	(n=346)
a. NO!	**	0.7% (±0.7)	1.5% (±1.1)	0.9% (±1.0)
b. No	**	2.5% (±1.3)	3.1% (±1.5)	7.8% (±2.8)
c. yes	**	35.8% (±3.9)	45.1% (±4.3)	48.0% (±5.3)
d. YES!	**	61.0% (±3.9)	50.3% (±4.3)	43.4% (±5.2)
<b>203. The rules in my family are clear.</b>	(n=0)	(n=594)	(n=514)	(n=346)
a. NO!	**	0.8% (±0.7)	0.8% (±0.8)	0.9% (±1.0)
b. No	**	5.1% (±1.8)	8.6% (±2.4)	9.5% (±3.1)
c. yes	**	43.3% (±4.0)	56.2% (±4.3)	52.0% (±5.3)
d. YES!	**	50.8% (±4.0)	34.4% (±4.1)	37.6% (±5.1)

	Grade 6	Grade 8	Grade 10	Grade 12
	% (± CI) (n=0)	% (± CI) (n=591)	% (± CI) (n=513)	% (± CI) (n=347)
<b>204. My family has clear rules about alcohol and drug use.</b>				
a. NO!	**	1.5% (±1.0)	0.6% (±0.7)	1.4% (±1.3)
b. No	**	4.7% (±1.7)	8.4% (±2.4)	10.4% (±3.2)
c. yes	**	22.3% (±3.4)	38.2% (±4.2)	42.7% (±5.2)
d. YES!	**	71.4% (±3.7)	52.8% (±4.3)	45.5% (±5.3)
<b>205. If you drank some beer, wine, or liquor without your parent(s)'s permission, would you be caught by them?</b>	(n=0)	(n=589)	(n=508)	(n=341)
a. NO!	**	2.7% (±1.3)	6.3% (±2.1)	8.8% (±3.0)
b. No	**	13.1% (±2.7)	29.1% (±4.0)	39.0% (±5.2)
c. yes	**	33.3% (±3.8)	38.2% (±4.2)	30.8% (±4.9)
d. YES!	**	50.9% (±4.0)	26.4% (±3.8)	21.4% (±4.4)
<b>206. If you carried a handgun without your parent(s)'s permission, would you be caught by them?</b>	(n=0)	(n=588)	(n=507)	(n=341)
a. NO!	**	1.9% (±1.1)	2.2% (±1.3)	2.6% (±1.7)
b. No	**	4.9% (±1.8)	8.7% (±2.5)	13.5% (±3.6)
c. yes	**	23.8% (±3.5)	35.7% (±4.2)	32.0% (±5.0)
d. YES!	**	69.4% (±3.7)	53.5% (±4.4)	51.9% (±5.3)
<b>207. If you skipped school, would you be caught by your parent(s)?</b>	(n=0)	(n=593)	(n=513)	(n=344)
a. NO!	**	0.8% (±0.7)	0.2% (±0.4)	2.0% (±1.5)
b. No	**	2.0% (±1.1)	4.5% (±1.8)	6.4% (±2.6)
c. yes	**	23.6% (±3.4)	34.1% (±4.1)	39.8% (±5.2)
d. YES!	**	73.5% (±3.6)	61.2% (±4.2)	51.7% (±5.3)

### Opportunities for Prosocial Involvement (Questions 208-210)

<b>208. If I had a personal problem, I could ask my parent(s) for help.</b>	(n=1,202)	(n=591)	(n=517)	(n=346)
a. NO!	2.5% (±0.9)	4.4% (±1.7)	3.1% (±1.5)	4.3% (±2.2)
b. No	7.2% (±1.5)	9.5% (±2.4)	15.3% (±3.1)	8.1% (±2.9)
c. yes	33.0% (±2.7)	35.9% (±3.9)	48.4% (±4.3)	56.1% (±5.3)
d. YES!	57.2% (±2.8)	50.3% (±4.0)	33.3% (±4.1)	31.5% (±4.9)
<b>209. My parent(s) give me lots of chances to do fun things with them.</b>	(n=1,214)	(n=591)	(n=510)	(n=346)
a. NO!	0.6% (±0.4)	3.2% (±1.4)	1.8% (±1.1)	4.0% (±2.1)
b. No	8.9% (±1.6)	9.8% (±2.4)	16.5% (±3.2)	13.3% (±3.6)
c. yes	42.9% (±2.8)	42.0% (±4.0)	50.8% (±4.4)	54.9% (±5.3)
d. YES!	47.6% (±2.8)	45.0% (±4.0)	31.0% (±4.0)	27.7% (±4.7)
<b>210. My parent(s) ask me what I think before most family decisions affecting me are made.</b>	(n=1,196)	(n=588)	(n=510)	(n=345)
a. NO!	4.0% (±1.1)	6.5% (±2.0)	7.1% (±2.2)	7.0% (±2.7)
b. No	19.5% (±2.2)	14.5% (±2.9)	21.0% (±3.5)	20.3% (±4.3)
c. yes	43.9% (±2.8)	47.4% (±4.0)	48.8% (±4.4)	49.6% (±5.3)
d. YES!	32.6% (±2.7)	31.6% (±3.8)	23.1% (±3.7)	23.2% (±4.5)

**Rewards for Prosocial Involvement (Questions 211-214)**

	Grade 6	Grade 8	Grade 10	Grade 12
<b>211. My parent(s) notice when I am doing a good job and let me know about it.</b>	% (± CI) (n=1,214)	% (± CI) (n=0)	% (± CI) (n=0)	% (± CI) (n=0)
a. Never or almost never	3.8% (±1.1)	**	**	**
b. Sometimes	18.0% (±2.2)	**	**	**
c. Often	36.6% (±2.7)	**	**	**
d. All the time	41.7% (±2.8)	**	**	**
<b>212. How often do your parent(s) tell you they're proud of you for something you've done?</b>	(n=1,217)	(n=0)	(n=0)	(n=0)
a. Never or almost never	3.4% (±1.0)	**	**	**
b. Sometimes	18.8% (±2.2)	**	**	**
c. Often	40.9% (±2.8)	**	**	**
d. All the time	36.9% (±2.7)	**	**	**
<b>213. Do you enjoy spending time with your mom(s)?</b>	(n=1,192)	(n=0)	(n=0)	(n=0)
a. NO!	0.2% (±0.2)	**	**	**
b. No	1.9% (±0.8)	**	**	**
c. yes	24.7% (±2.5)	**	**	**
d. YES!	73.2% (±2.5)	**	**	**
<b>214. Do you enjoy spending time with your dad(s)?</b>	(n=1,182)	(n=0)	(n=0)	(n=0)
a. NO!	1.6% (±0.7)	**	**	**
b. No	1.6% (±0.7)	**	**	**
c. yes	26.2% (±2.5)	**	**	**
d. YES!	70.6% (±2.6)	**	**	**

**Parental Attitudes Favorable Towards Drug Use (Questions 215-217)**

<b>215. How wrong do your parent(s) feel it would be for you to: Drink beer, wine, or hard liquor regularly (at least once or twice a month)?</b>	(n=0)	(n=576)	(n=502)	(n=342)
a. Very wrong	**	82.6% (±3.1)	65.3% (±4.2)	50.9% (±5.3)
b. Wrong	**	11.5% (±2.6)	21.1% (±3.6)	22.5% (±4.4)
c. A little bit wrong	**	4.3% (±1.7)	10.8% (±2.7)	18.7% (±4.2)
d. Not wrong at all	**	1.6% (±1.0)	2.8% (±1.4)	7.9% (±2.9)
<b>216. How wrong do your parent(s) feel it would be for you to: Smoke cigarettes?</b>	(n=0)	(n=579)	(n=502)	(n=342)
a. Very wrong	**	94.6% (±1.8)	92.2% (±2.3)	81.6% (±4.1)
b. Wrong	**	4.7% (±1.7)	6.8% (±2.2)	14.6% (±3.8)
c. A little bit wrong	**	0.5% (±0.6)	0.6% (±0.7)	3.2% (±1.9)
d. Not wrong at all	**	0.2% (±0.3)	0.4% (±0.6)	0.6% (±0.8)
<b>217. How wrong do your parent(s) feel it would be for you to: Use marijuana?</b>	(n=0)	(n=578)	(n=502)	(n=342)
a. Very wrong	**	94.1% (±1.9)	86.7% (±3.0)	69.3% (±4.9)
b. Wrong	**	3.8% (±1.6)	10.2% (±2.7)	19.0% (±4.2)
c. A little bit wrong	**	1.7% (±1.1)	2.4% (±1.3)	9.1% (±3.1)
d. Not wrong at all	**	0.3% (±0.5)	0.8% (±0.8)	2.6% (±1.7)

**School Domain****Academic Failure Questions (Questions 218-219)**

	Grade 6	Grade 8	Grade 10	Grade 12
<b>218. Putting them all together, what were your grades like last year?</b>	% (± CI) (n=1,268)	% (± CI) (n=1,162)	% (± CI) (n=1,109)	% (± CI) (n=672)
a. Mostly As	58.3% (±2.7)	63.1% (±2.8)	61.2% (±2.9)	63.2% (±3.7)
b. Mostly Bs	34.5% (±2.6)	22.7% (±2.4)	21.8% (±2.4)	22.6% (±3.2)
c. Mostly Cs	6.0% (±1.3)	8.3% (±1.6)	10.9% (±1.8)	9.2% (±2.2)
d. Mostly Ds	0.8% (±0.5)	2.8% (±1.0)	3.5% (±1.1)	2.8% (±1.3)
e. Mostly Fs	0.4% (±0.3)	3.0% (±1.0)	2.5% (±0.9)	2.1% (±1.1)
<b>219. Are your school grades better than the grades of most students in your class?</b>	(n=1,200)	(n=556)	(n=499)	(n=336)
a. NO!	2.2% (±0.8)	4.7% (±1.8)	6.2% (±2.1)	6.0% (±2.5)
b. No	30.0% (±2.6)	28.6% (±3.8)	30.1% (±4.0)	25.9% (±4.7)
c. yes	56.2% (±2.8)	54.7% (±4.2)	50.7% (±4.4)	48.5% (±5.4)
d. YES!	11.7% (±1.8)	12.1% (±2.7)	13.0% (±3.0)	19.6% (±4.3)

**Low Commitment to School (Questions 220-226)**

<b>220. How often do you feel the schoolwork you are assigned is meaningful and important?</b>	(n=1,308)	(n=592)	(n=515)	(n=342)
a. Almost always	23.2% (±2.3)	16.2% (±3.0)	5.4% (±2.0)	6.4% (±2.6)
b. Often	39.2% (±2.6)	25.7% (±3.5)	20.2% (±3.5)	17.0% (±4.0)
c. Sometimes	26.5% (±2.4)	38.0% (±3.9)	39.8% (±4.2)	46.8% (±5.3)
d. Seldom	7.6% (±1.4)	13.7% (±2.8)	23.3% (±3.7)	21.1% (±4.3)
e. Never	3.4% (±1.0)	6.4% (±2.0)	11.3% (±2.7)	8.8% (±3.0)
<b>221. How interesting are most of your courses to you?</b>	(n=1,309)	(n=592)	(n=514)	(n=343)
a. Very interesting and stimulating	11.6% (±1.7)	5.9% (±1.9)	4.1% (±1.7)	8.5% (±3.0)
b. Quite interesting	40.4% (±2.7)	28.4% (±3.6)	21.8% (±3.6)	26.2% (±4.7)
c. Fairly interesting	35.6% (±2.6)	38.3% (±3.9)	39.1% (±4.2)	41.4% (±5.2)
d. Slightly dull	9.9% (±1.6)	20.3% (±3.2)	25.9% (±3.8)	19.8% (±4.2)
e. Very dull	2.4% (±0.8)	7.1% (±2.1)	9.1% (±2.5)	4.1% (±2.1)
<b>222. How important do you think the things you are learning in school are going to be for you later in life?</b>	(n=1,314)	(n=590)	(n=513)	(n=342)
a. Very important	26.0% (±2.4)	16.4% (±3.0)	7.0% (±2.2)	9.9% (±3.2)
b. Quite important	34.6% (±2.6)	29.7% (±3.7)	19.3% (±3.4)	19.9% (±4.3)
c. Fairly important	25.1% (±2.3)	28.3% (±3.6)	32.7% (±4.1)	34.5% (±5.1)
d. Slightly important	12.0% (±1.8)	22.2% (±3.4)	31.6% (±4.0)	30.1% (±4.9)
e. Not at all important	2.3% (±0.8)	3.4% (±1.5)	9.4% (±2.5)	5.6% (±2.4)

**Think back over the past year in school. How often did you:**

<b>223. Enjoy school?</b>	(n=1,318)	(n=1,179)	(n=1,125)	(n=679)
a. Never	3.0% (±0.9)	6.1% (±1.4)	10.8% (±1.8)	7.8% (±2.0)
b. Seldom	7.6% (±1.4)	14.1% (±2.0)	21.3% (±2.4)	21.8% (±3.1)
c. Sometimes	27.6% (±2.4)	41.6% (±2.8)	42.8% (±2.9)	41.2% (±3.7)
d. Often	36.7% (±2.6)	27.8% (±2.6)	20.6% (±2.4)	25.6% (±3.3)
e. Almost always	25.0% (±2.3)	10.4% (±1.7)	4.5% (±1.2)	3.5% (±1.4)

	Grade 6	Grade 8	Grade 10	Grade 12
	% (± CI) (n=1,300)	% (± CI) (n=588)	% (± CI) (n=514)	% (± CI) (n=343)
<b>224. Dislike school?</b>				
a. Never	10.9% (±1.7)	7.5% (±2.1)	2.9% (±1.5)	1.7% (±1.4)
b. Seldom	29.9% (±2.5)	17.7% (±3.1)	9.5% (±2.5)	12.5% (±3.5)
c. Sometimes	38.3% (±2.6)	39.1% (±4.0)	37.9% (±4.2)	36.4% (±5.1)
d. Often	15.4% (±2.0)	28.7% (±3.7)	38.1% (±4.2)	40.2% (±5.2)
e. Almost always	5.5% (±1.2)	7.0% (±2.1)	11.5% (±2.8)	9.0% (±3.0)
<b>225. Try to do your best work in school?</b>	(n=1,295)	(n=585)	(n=515)	(n=341)
a. Never	0.4% (±0.3)	0.7% (±0.7)	2.1% (±1.3)	1.2% (±1.1)
b. Seldom	1.2% (±0.6)	2.6% (±1.3)	4.9% (±1.9)	3.8% (±2.0)
c. Sometimes	5.3% (±1.2)	14.9% (±2.9)	18.1% (±3.3)	26.1% (±4.7)
d. Often	26.4% (±2.4)	31.5% (±3.8)	39.0% (±4.2)	33.7% (±5.0)
e. Almost always	66.8% (±2.6)	50.4% (±4.1)	35.9% (±4.2)	35.2% (±5.1)
<b>226. During the LAST 4 WEEKS, how many whole days of school have you missed because you skipped or "cut"?</b>	(n=1,309)	(n=589)	(n=514)	(n=345)
a. 0 days	84.6% (±2.0)	90.5% (±2.4)	90.5% (±2.5)	78.3% (±4.4)
b. 1 day	6.3% (±1.3)	3.9% (±1.6)	5.3% (±1.9)	14.2% (±3.7)
c. 2 days	3.7% (±1.0)	2.5% (±1.3)	1.9% (±1.2)	3.8% (±2.0)
d. 3 days	1.5% (±0.7)	0.7% (±0.7)	1.2% (±0.9)	2.0% (±1.5)
e. 4-5 days	2.4% (±0.8)	0.8% (±0.7)	0.4% (±0.5)	0.6% (±0.8)
f. 6-10 days	1.1% (±0.6)	1.2% (±0.9)	0.4% (±0.5)	0.9% (±1.0)
g. 11 or more days	0.2% (±0.3)	0.3% (±0.5)	0.4% (±0.5)	0.3% (±0.6)

### Opportunities for Prosocial Involvement (Questions 227-231)

<b>227. In my school, students have lots of chances to help decide things like class activities and rules.</b>	(n=0)	(n=582)	(n=508)	(n=344)
a. NO!	**	5.8% (±1.9)	8.1% (±2.4)	9.9% (±3.2)
b. No	**	27.7% (±3.6)	33.5% (±4.1)	33.1% (±5.0)
c. yes	**	51.0% (±4.1)	48.6% (±4.4)	47.1% (±5.3)
d. YES!	**	15.5% (±2.9)	9.8% (±2.6)	9.9% (±3.2)
<b>228. There are lots of chances for students in my school to talk with a teacher one-on-one.</b>	(n=0)	(n=581)	(n=509)	(n=345)
a. NO!	**	2.2% (±1.2)	2.4% (±1.3)	3.5% (±1.9)
b. No	**	14.5% (±2.9)	15.3% (±3.1)	11.3% (±3.4)
c. yes	**	52.2% (±4.1)	58.2% (±4.3)	63.2% (±5.1)
d. YES!	**	31.2% (±3.8)	24.2% (±3.7)	22.0% (±4.4)
<b>229. Teachers ask me to work on special class projects.</b>	(n=0)	(n=558)	(n=501)	(n=343)
a. NO!	**	10.8% (±2.6)	19.2% (±3.5)	12.0% (±3.5)
b. No	**	46.6% (±4.2)	53.7% (±4.4)	50.1% (±5.3)
c. yes	**	33.9% (±3.9)	23.0% (±3.7)	32.1% (±5.0)
d. YES!	**	8.8% (±2.4)	4.2% (±1.8)	5.8% (±2.5)

<b>230. There are lots of chances for students in my school to get involved in sports, clubs, and other school activities outside of class.</b>	<b>Grade 6</b>	<b>Grade 8</b>	<b>Grade 10</b>	<b>Grade 12</b>
	% (± CI) (n=0)	% (± CI) (n=581)	% (± CI) (n=506)	% (± CI) (n=343)
a. NO!	**	1.2% (±0.9)	1.2% (±0.9)	0.6% (±0.8)
b. No	**	4.8% (±1.7)	2.6% (±1.4)	5.8% (±2.5)
c. yes	**	47.5% (±4.1)	46.8% (±4.4)	53.6% (±5.3)
d. YES!	**	46.5% (±4.1)	49.4% (±4.4)	39.9% (±5.2)

<b>231. I have lots of chances to be part of class discussions or activities.</b>	(n=0)	(n=576)	(n=503)	(n=342)
a. NO!	**	1.2% (±0.9)	1.0% (±0.9)	0.6% (±0.8)
b. No	**	5.2% (±1.8)	7.8% (±2.3)	5.0% (±2.3)
c. yes	**	58.3% (±4.0)	65.4% (±4.2)	66.4% (±5.0)
d. YES!	**	35.2% (±3.9)	25.8% (±3.8)	28.1% (±4.8)

### Rewards for Prosocial Involvement (Questions 232-235)

<b>232. My teacher(s) notices when I am doing a good job and lets me know about it.</b>	(n=1,291)	(n=581)	(n=507)	(n=341)
a. NO!	4.3% (±1.1)	4.1% (±1.6)	11.2% (±2.8)	6.7% (±2.7)
b. No	26.6% (±2.4)	25.6% (±3.6)	35.7% (±4.2)	27.9% (±4.8)
c. yes	57.2% (±2.7)	54.7% (±4.1)	43.8% (±4.3)	52.8% (±5.3)
d. YES!	11.9% (±1.8)	15.5% (±3.0)	9.3% (±2.5)	12.6% (±3.5)

<b>233. The school lets my parent(s) know when I have done something well.</b>	(n=1,271)	(n=575)	(n=506)	(n=341)
a. NO!	11.1% (±1.7)	11.7% (±2.6)	24.3% (±3.8)	22.9% (±4.5)
b. No	46.4% (±2.7)	45.7% (±4.1)	48.6% (±4.4)	49.3% (±5.3)
c. yes	32.5% (±2.6)	34.1% (±3.9)	21.3% (±3.6)	22.3% (±4.4)
d. YES!	10.0% (±1.7)	8.5% (±2.3)	5.7% (±2.0)	5.6% (±2.4)

<b>234. I feel safe during school.</b>	(n=1,287)	(n=1,162)	(n=1,107)	(n=674)
a. NO!	2.1% (±0.8)	1.7% (±0.7)	2.3% (±0.9)	3.9% (±1.5)
b. no	8.5% (±1.5)	6.3% (±1.4)	9.6% (±1.7)	9.1% (±2.2)
c. yes	50.0% (±2.7)	57.1% (±2.9)	61.5% (±2.9)	63.1% (±3.7)
d. YES!	39.4% (±2.7)	34.9% (±2.7)	26.6% (±2.6)	24.0% (±3.2)

<b>235. My teachers praise me when I work hard in school.</b>	(n=1,260)	(n=567)	(n=506)	(n=341)
a. NO!	7.8% (±1.5)	7.2% (±2.1)	14.8% (±3.1)	7.9% (±2.9)
b. No	36.2% (±2.7)	33.5% (±3.9)	42.1% (±4.3)	36.4% (±5.1)
c. yes	45.1% (±2.8)	46.0% (±4.1)	36.8% (±4.2)	48.7% (±5.3)
d. YES!	11.0% (±1.7)	13.2% (±2.8)	6.3% (±2.1)	7.0% (±2.7)

## Peer and Individual Domain

### Perceived Risk of Drug Use (Questions 236-239)

*How much do you think people risk harming themselves if they:*

	Grade 6	Grade 8	Grade 10	Grade 12
	% (± CI) (n=1,223)	% (± CI) (n=582)	% (± CI) (n=502)	% (± CI) (n=341)
<b>236. Smoke one or more packs of cigarettes per day?</b>				
a. No risk	4.2% (±1.1)	1.7% (±1.1)	1.4% (±1.0)	2.1% (±1.5)
b. Slight risk	3.6% (±1.0)	4.3% (±1.7)	3.4% (±1.6)	2.9% (±1.8)
c. Moderate risk	13.9% (±1.9)	11.5% (±2.6)	11.8% (±2.8)	10.3% (±3.2)
d. Great risk	73.0% (±2.5)	79.6% (±3.3)	80.9% (±3.5)	82.7% (±4.0)
e. Not sure	5.3% (±1.3)	2.9% (±1.4)	2.6% (±1.4)	2.1% (±1.5)
<b>237. Try marijuana once or twice?</b>	(n=1,218)	(n=581)	(n=502)	(n=341)
a. No risk	6.7% (±1.4)	8.4% (±2.3)	20.1% (±3.5)	30.8% (±4.9)
b. Slight risk	22.2% (±2.3)	28.7% (±3.7)	35.5% (±4.2)	35.5% (±5.1)
c. Moderate risk	28.9% (±2.5)	28.9% (±3.7)	23.1% (±3.7)	17.0% (±4.0)
d. Great risk	30.2% (±2.6)	28.2% (±3.7)	18.3% (±3.4)	15.0% (±3.8)
e. Not sure	12.0% (±1.8)	5.7% (±1.9)	3.0% (±1.5)	1.8% (±1.4)
<b>238. Use marijuana regularly (at least once or twice a week)?</b>	(n=1,216)	(n=576)	(n=501)	(n=339)
a. No risk	4.7% (±1.2)	2.3% (±1.2)	3.6% (±1.6)	6.2% (±2.6)
b. Slight risk	3.2% (±1.0)	5.7% (±1.9)	15.0% (±3.1)	22.4% (±4.5)
c. Moderate risk	16.2% (±2.1)	19.3% (±3.2)	31.9% (±4.1)	38.3% (±5.2)
d. Great risk	64.6% (±2.7)	68.8% (±3.8)	46.9% (±4.4)	30.7% (±4.9)
e. Not sure	11.3% (±1.8)	4.0% (±1.6)	2.6% (±1.4)	2.4% (±1.6)
<b>239. Take one or two drinks of an alcoholic beverage nearly every day?</b>	(n=1,217)	(n=578)	(n=501)	(n=341)
a. No risk	6.5% (±1.4)	2.6% (±1.3)	2.4% (±1.3)	1.8% (±1.4)
b. Slight risk	11.3% (±1.8)	7.1% (±2.1)	7.4% (±2.3)	9.4% (±3.1)
c. Moderate risk	25.2% (±2.4)	28.9% (±3.7)	31.9% (±4.1)	32.0% (±5.0)
d. Great risk	49.6% (±2.8)	58.5% (±4.0)	55.9% (±4.4)	55.1% (±5.3)
e. Not sure	7.4% (±1.5)	2.9% (±1.4)	2.4% (±1.3)	1.8% (±1.4)

### Early Initiation of Drug Use (Questions 240-242)

*How old were you the first time you:*

	(n=0)	(n=1,165)	(n=1,110)	(n=677)
<b>240. Used marijuana?</b>				
a. Never have	**	98.4% (±0.7)	93.1% (±1.5)	79.2% (±3.1)
b. 10 or younger	**	0.3% (±0.3)	0.0% (±0.0)	0.4% (±0.5)
c. 11	**	0.6% (±0.4)	0.1% (±0.2)	0.4% (±0.5)
d. 12	**	0.1% (±0.2)	0.5% (±0.4)	0.3% (±0.4)
e. 13	**	0.6% (±0.4)	1.2% (±0.6)	1.2% (±0.8)
f. 14	**	0.1% (±0.2)	2.8% (±1.0)	2.5% (±1.2)
g. 15	**	0.0% (±0.0)	2.1% (±0.8)	5.8% (±1.8)
h. 16	**	0.0% (±0.0)	0.3% (±0.3)	6.8% (±1.9)
i. 17 or older	**	0.0% (±0.0)	0.1% (±0.2)	3.4% (±1.4)

	Grade 6	Grade 8	Grade 10	Grade 12
	% (± CI) (n=0)	% (± CI) (n=587)	% (± CI) (n=513)	% (± CI) (n=336)
<b>241. Smoked a cigarette, even just a puff?</b>				
a. Never have	**	97.6% (±1.2)	95.1% (±1.9)	90.2% (±3.2)
b. 10 or younger	**	1.2% (±0.9)	0.2% (±0.4)	0.0% (±0.0)
c. 11	**	0.2% (±0.3)	0.6% (±0.7)	0.6% (±0.8)
d. 12	**	0.2% (±0.3)	0.4% (±0.5)	0.3% (±0.6)
e. 13	**	0.9% (±0.7)	1.2% (±0.9)	0.9% (±1.0)
f. 14	**	0.0% (±0.0)	1.4% (±1.0)	0.9% (±1.0)
g. 15	**	0.0% (±0.0)	1.2% (±0.9)	3.6% (±2.0)
h. 16	**	0.0% (±0.0)	0.0% (±0.0)	0.9% (±1.0)
i. 17 or older	**	0.0% (±0.0)	0.0% (±0.0)	2.7% (±1.7)

	(n=0)	(n=1,166)	(n=1,105)	(n=677)
<b>242. Had more than a sip or two of beer, wine, or hard liquor?</b>				
a. Never have	**	88.4% (±1.8)	78.7% (±2.4)	59.1% (±3.7)
b. 10 or younger	**	5.0% (±1.2)	3.5% (±1.1)	3.4% (±1.4)
c. 11	**	2.5% (±0.9)	1.3% (±0.7)	1.5% (±0.9)
d. 12	**	2.7% (±0.9)	2.2% (±0.9)	1.0% (±0.8)
e. 13	**	1.1% (±0.6)	3.3% (±1.1)	4.0% (±1.5)
f. 14	**	0.1% (±0.2)	6.2% (±1.4)	6.5% (±1.9)
g. 15	**	0.1% (±0.2)	4.3% (±1.2)	9.2% (±2.2)
h. 16	**	0.1% (±0.2)	0.5% (±0.4)	9.0% (±2.2)
i. 17 or older	**	0.0% (±0.0)	0.0% (±0.0)	6.4% (±1.8)

### Favorable Attitudes Toward Drug Use (Questions 243-246)

*How wrong do YOU think it is for someone your age to:*

	(n=1,233)	(n=603)	(n=505)	(n=342)
<b>243. Drink beer, wine, or hard liquor regularly?</b>				
a. Very wrong	89.2% (±1.7)	75.8% (±3.4)	42.6% (±4.3)	29.5% (±4.9)
b. Wrong	8.9% (±1.6)	16.9% (±3.0)	30.7% (±4.0)	26.0% (±4.7)
c. A little bit wrong	1.5% (±0.7)	5.6% (±1.8)	20.8% (±3.6)	29.2% (±4.8)
d. Not wrong at all	0.4% (±0.4)	1.7% (±1.0)	5.9% (±2.1)	15.2% (±3.8)

	(n=1,234)	(n=602)	(n=506)	(n=341)
<b>244. Smoke cigarettes?</b>				
a. Very wrong	92.3% (±1.5)	81.7% (±3.1)	63.4% (±4.2)	50.4% (±5.3)
b. Wrong	7.0% (±1.4)	15.4% (±2.9)	28.7% (±4.0)	32.0% (±5.0)
c. A little bit wrong	0.5% (±0.4)	2.2% (±1.2)	6.3% (±2.1)	13.8% (±3.7)
d. Not wrong at all	0.2% (±0.3)	0.7% (±0.7)	1.6% (±1.1)	3.8% (±2.0)

	(n=1,226)	(n=598)	(n=505)	(n=341)
<b>245. Use marijuana?</b>				
a. Very wrong	94.7% (±1.3)	85.6% (±2.8)	55.2% (±4.4)	31.7% (±5.0)
b. Wrong	4.3% (±1.1)	10.5% (±2.5)	26.3% (±3.9)	25.5% (±4.7)
c. A little bit wrong	0.7% (±0.5)	3.0% (±1.4)	15.0% (±3.1)	30.8% (±4.9)
d. Not wrong at all	0.2% (±0.3)	0.8% (±0.7)	3.4% (±1.6)	12.0% (±3.5)

	(n=1,227)	(n=598)	(n=504)	(n=341)
<b>246. Use LSD, cocaine, amphetamines, or another illegal drug?</b>				
a. Very wrong	97.3% (±0.9)	94.1% (±1.9)	84.5% (±3.2)	69.5% (±4.9)
b. Wrong	2.3% (±0.8)	5.2% (±1.8)	12.5% (±2.9)	21.4% (±4.4)
c. A little bit wrong	0.1% (±0.2)	0.3% (±0.5)	2.6% (±1.4)	7.3% (±2.8)
d. Not wrong at all	0.3% (±0.3)	0.3% (±0.5)	0.4% (±0.6)	1.8% (±1.4)



## Friends Use Drugs (Questions 247-250)

**Think of your four best friends (the friends you feel closest to). In the past year (12 months), how many of your best friends have...**

	Grade 6	Grade 8	Grade 10	Grade 12
	% (± CI) (n=0)	% (± CI) (n=592)	% (± CI) (n=512)	% (± CI) (n=350)
<b>247. Smoked cigarettes?</b>				
a. None of my friends	**	95.4% (±1.7)	88.9% (±2.7)	86.0% (±3.7)
b. 1 of my friends	**	3.2% (±1.4)	6.4% (±2.1)	5.4% (±2.4)
c. 2 of my friends	**	0.7% (±0.7)	2.5% (±1.4)	3.7% (±2.0)
d. 3 of my friends	**	0.2% (±0.3)	1.4% (±1.0)	1.4% (±1.2)
e. 4 of my friends	**	0.5% (±0.6)	0.8% (±0.8)	3.4% (±1.9)
<b>248. Tried beer, wine, or hard liquor when their parent(s) didn't know about it?</b>				
	(n=0)	(n=591)	(n=512)	(n=351)
a. None of my friends	**	92.2% (±2.2)	69.5% (±4.0)	53.3% (±5.2)
b. 1 of my friends	**	4.9% (±1.7)	13.5% (±3.0)	9.1% (±3.0)
c. 2 of my friends	**	1.2% (±0.9)	6.8% (±2.2)	10.0% (±3.1)
d. 3 of my friends	**	0.5% (±0.6)	3.5% (±1.6)	7.1% (±2.7)
e. 4 of my friends	**	1.2% (±0.9)	6.6% (±2.2)	20.5% (±4.2)
<b>249. Used marijuana?</b>				
	(n=0)	(n=589)	(n=510)	(n=349)
a. None of my friends	**	96.3% (±1.5)	79.4% (±3.5)	60.5% (±5.2)
b. 1 of my friends	**	2.2% (±1.2)	10.4% (±2.7)	9.5% (±3.1)
c. 2 of my friends	**	0.3% (±0.5)	3.1% (±1.5)	10.9% (±3.3)
d. 3 of my friends	**	0.3% (±0.5)	2.9% (±1.5)	4.3% (±2.1)
e. 4 of my friends	**	0.8% (±0.7)	4.1% (±1.7)	14.9% (±3.8)
<b>250. Used LSD, cocaine, amphetamines, or other illegal drugs?</b>				
	(n=0)	(n=591)	(n=512)	(n=351)
a. None of my friends	**	97.6% (±1.2)	94.9% (±1.9)	86.0% (±3.6)
b. 1 of my friends	**	1.5% (±1.0)	2.7% (±1.4)	7.1% (±2.7)
c. 2 of my friends	**	0.3% (±0.5)	1.8% (±1.1)	3.7% (±2.0)
d. 3 of my friends	**	0.0% (±0.0)	0.6% (±0.7)	0.9% (±1.0)
e. 4 of my friends	**	0.5% (±0.6)	0.0% (±0.0)	2.3% (±1.6)

## Questions by Topics

Questions about a single topic are not always grouped together in this report. For example, some questions about alcohol are presented in the Alcohol, Tobacco, and Other Drug (ATOD) Use section and others are presented in the Risk and Protective Factor section. The following list, groups the questions by topic so you can easily locate them in this report.

- Abuse 129-135
- Activities and Clubs 96-97, 194-196
- Adverse Childhood Experiences Scale (WAH-ACEs) 178
- Alcohol
  - Access 61, 179
  - Age at first use 242
  - Current use 37, 58, 75
  - Drinking and driving 117-119, 122
  - Family influence 62, 204-205, 215
  - Lifetime use 25
  - Perceived norms 63-64, 66, 179, 185, 187, 243, 248
  - Perceived risks 65, 239
  - Prevention/intervention 76, 166
  - Use at school 73-74
  - Usual type 60
- Asthma 99-100
- Bullying/Harassment 157-165
- Children's Hope Scale 173-177
- COVID-19 150-155
- Demographics 1-22
- Disability 105-108
- Family 200-217
  - Food insecurity 81-82
  - Living situations 13-15
  - Migrant or seasonal work 18
  - Military service 17
  - Mother's education 12
- Fighting 126
- Fitness
  - Physical activity 90-93, 97
  - Sedentary behavior 94-95
- Gambling 156
- Gangs 127-128
- Health or Health Care
  - Doctor visit 98
  - Oral Health 101-103
  - Sleep 104
- HIV/STD/Pregnancy Prevention 113, 169-171
- Honesty 22
- Marijuana
  - Access 70, 181
  - Age at first use 240
  - Current use 38, 75
  - Family influence 67, 71, 217
  - Lifetime use 26
  - Perceived norms 72, 181, 184, 189, 245, 249
  - Perceived risks 237-238
  - Use at school 73-74
  - Using and driving 120-122
  - Usual type 68
- Mental Health
  - Anxiety and worry 142-143
  - Depression 136
  - Help with mental health 144-146
  - Suicide 137-141
- Neighborhood or Community 184-199
- Nutrition
  - Breakfast 83
  - Food insecurity 81-82
  - Fruit/Vegetable servings 84
  - Soda and Sugar Drinks 85-89
- Other Drugs
  - Access 182
  - Current use 39-43
  - Family influence 77, 204
  - Lifetime use 27-29
  - Perceived norms 77-78, 182, 246, 250
  - Perceived risks 79
  - Prevention/intervention 76, 166
  - Use at school 73-74
- Problematic Internet Use 147-149
- Safety-related Behaviors
  - Swimming 115-116
  - Wearing Safety Gear 114
- School Climate
  - Absence 19, 102-103, 207, 226
  - Achievement 218-219
  - After-school activities 96-97, 194-196
  - Bullying/harassment 157-165
  - Changed school in past year 20
  - Counseling and support 166-168
  - Engagement 220-225, 227-235
  - Nutrition 16, 86-87, 89
  - Physical activity 92-93
  - Prevention/intervention 76, 146, 166, 169-171
  - Safety during 160-161, 234
  - Substance use at 73-74
  - Weapons at 125
- Sexual Behaviors 109-113
- Sexual Identity 5
- Sexual Orientation 6
- Social and Emotional Learning 172
- Substance Use Prevention 76, 166
- Texting and Driving 123-124
- Tobacco and Electronic Cigarettes/Vaping
  - Access 46, 56, 180
  - Addiction/quitting 51-52
  - Age at first use 53, 241
  - Current use 30-36, 44
  - Family 216
  - Lifetime use 23-24
  - Perceived norms 47, 180, 186, 244, 247
  - Perceived risks 57, 236
  - Prevention/intervention 166
  - Secondhand smoke 45
  - Susceptibility to smoking 48-50
  - Use at school 74
  - Usual type 54-55
- Weapons 125, 183, 188, 206
- Weight 80
- Work 21

## Core Questions

“Core” questions that appeared on both Forms A and B (the secondary versions of the survey) are listed below. All other questions appeared on either Form A or Form B, but not both. Core questions may or may not have appeared on Form C (the elementary version).

- Activities
  - Participation in after school activities 96
- Alcohol
  - Age when first drank alcohol 242
  - Binge drinking 58
  - Current alcohol drinking (past 30 days) 37
  - Levels of alcohol use 59
  - Lifetime alcohol use 25
- Bullying
  - Been bullied (past 30 days) 157
- COVID-19
  - Prevention - stay home is sick 152
  - Prevention - wash hands 150
  - Prevention - wear mask 151
  - Worried about enough food 155
  - Worried about housing 154
  - Worried about parents jobs 153
- Demographics
  - Age 2
  - Asian or Pacific Islander background 9
  - Education level of mother 12
  - Food insecurity 82
  - Gender identity 5
  - Language spoken in home 10
  - Loss of home due to family finances 15
  - Migrant status 18
  - Race/Ethnicity 7, 8
  - Sex/gender 4
  - Sexual orientation 6
  - Where you live 14
  - Who you live with 13
- Driving Under Influence
  - Driving after using alcohol and marijuana 122
- Fighting
  - Physical fighting (past 12 months) 126
- Gangs
  - Gang involvement 127
  - Gangs at school 128
- Honesty
  - Honesty in completing survey 22
- Hope
  - Can get things important in life 174
  - Can solve problems 176
  - Doing as well as other kids 175
  - Past will help in future 177
- Marijuana
  - Age when first used marijuana 235
  - Current marijuana use (past 30 days) 39
  - Lifetime marijuana use 26
- Mental Health
  - Bothered by anxiety 142
  - Bothered by worrying 143
  - Depression (past 12 months) 136
  - Seriously considered attempting suicide 137
- Other Drugs
  - Current painkiller use (past 30 days) 41
- School Climate
  - Absent from school 19
  - Been bullied (past 30 days) 157
  - Enjoyed being in school (past 12 months) 223
  - Feel safe during school 234
  - Grades in school (past 12 months) 218
  - Participation in after school activities 96
  - Substance use on school property 74
  - Weapon carrying on school property (past 12 months) 125
- Texting and Driving
  - Texting and driving (past 30 days) 124
- Tobacco
  - Current cigarette smoking (past 30 days) 30
  - Current e-cigarette use (past 30 days) 33
  - E-cigarette use products 54
- Weapons
  - Weapon carrying on school property (past 12 months) 125

***For more information on which survey forms each question was on,  
see the Survey Crosswalk at [www.AskHYS.net](http://www.AskHYS.net), under HYS Results - QxQ***